



Cleaning equipment

Solar panel cleaning machines

Commercial use - Electric engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XMME HPK-E	Water supply: Extern - motor: 220 Volt - power: 1500 Watt - flow: 11 l/min - flow: flow rate 3 l/min - dimensions: 50 x 70 x 105 cm - weight: 61 kg	€ 3.470,25	€ 4.199
XMME HPK-E-MAXI2	Water supply: Extern - motor: 220 Volt - power: 2200 Watt - flow: 11 l/min - flow: flow rate 6,5 l/min - dimensions: 50 x 75 x 105 cm - weight: 69 kg	€ 4.214,05	€ 5.099
XMME HPB-E	Water supply: Extern - motor: 220 Volt - power: 2200 Watt - flow: 21 l/min - flow: flow rate 6,5 l/min - dimensions: 80 x 170 x 100 cm - weight: 155 kg	€ 6.197,52	€ 7.499

Commercial use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XMME HPK-S-MAXI	Water supply: Extern - motor: Honda GP200 OHV - cylinder: 198 cm³ - flow: 11 l/min - flow: flow rate 6,5 l/min - dimensions: 50 x 80 x 105 cm - weight: 75 kg	€ 4.792,56	€ 5.799
XMME HPB-S	Water supply: Extern - motor: Honda GP200 OHV - cylinder: 198 cm³ - flow: 11 l/min - flow: flow rate 6,5 l/min - dimensions: 80 x 170 x 100 cm - weight: 150 kg	€ 6.610,74	€ 7.999
XMME HPP-500	Tank content: 500 L - motor: Honda GP200 OHV - cylinder: 198 cm³ - flow: 11 l/min - flow: flow rate 6,5 l/min - dimensions: 140 x 160 x 130 cm - weight: 175 kg	€ 7.271,90	€ 8.799
XMME HPP-1000	Tank content: 1000 L - motor: Honda GP200 OHV - cylinder: 198 cm³ - flow: 11 l/min - flow: flow rate 6,5 l/min - dimensions: 140 x 210 x 130 cm - weight: 195 kg	€ 7.933,06	€ 9.599

Options

Model	Specifications	Price VAT excl.	Price VAT incl.
XMME HCC20	Carbone cartridge 9" - 20" - for HPP	€ 74,38	€ 90
XMME HCC40	Carbone cartridge 4" - 40" - for HPB	€ 322,31	€ 390
XMME HCC9	Carbon cartridge 9" - 3/4" - for HPK and FR	€ 41,32	€ 50
XMME HCF20	Depth cartridge for microfiltration - 9" x 20" - for HPB and HPP	€ 33,06	€ 40
XMME HCF9	Depth cartridge for microfiltration - 9" x 3/4" - for HPB and HPP	€ 24,79	€ 30
XMME HHOSE	High pressure hose hydro pure - price per meter	€ 8,26	€ 10
XMME HM421	Osmosis membrane 4" x 21" - for HPK-E and HPK	€ 537,19	€ 650
XMME HM440	Osmosis membrane 4" x 40" - for HPK-MAXI, HPB and HPP	€ 809,92	€ 980

Solar panel cleaning filters

Commercial use - Related products

Model	Specifications	Price VAT excl.	Price VAT incl.
XMME FR8.5	Content: 8,5 L - capacity: Max. 240 l/h - pressure: Max. 10 bar - autonomy: Max. 1200 L - temperature: Max. 30°C - dimensions: 18 x 21 x 59 cm - weight: 4 kg	€ 304,96	€ 369
XMME KIT8-1	Content: 8,5 L - capacity: Max. 240 l/h - pressure: Max. 10 bar - autonomy: Max. 1200 L - temperature: Max. 30°C - dimensions: 40 x 40 x 240 cm - weight: 15 kg	€ 776,86	€ 940
XMME KIT8-2	Content: 8,5 L - capacity: Max. 240 l/h - pressure: Max. 10 bar - autonomy: Max. 1200 L - temperature: Max. 30°C - dimensions: 40 x 40 x 240 cm - weight: 16 kg	€ 991,74	€ 1.200
XMME FR25	Content: 25 L - capacity: Max. 240 l/h - pressure: Max. 10 bar - autonomy: Max. 4000 L - temperature: Max. 30°C - dimensions: 30 x 40 x 95 cm - weight: 10 kg	€ 1.321,49	€ 1.599
XMME FR50	Content: 50 L - capacity: Max. 240 l/h - pressure: Max. 10 bar - autonomy: Max. 8000 L - temperature: Max. 30°C - dimensions: 40 x 50 x 115 cm - weight: 15 kg	€ 2.313,22	€ 2.799

Options

Model	Specifications	Price VAT excl.	Price VAT incl.
XMME HHOSE	High pressure hose hydro pure - price per meter	€ 8,26	€ 10

Solar panel cleaning robots

Commercial use - Battery

Model	Specifications	Price VAT excl.	Price VAT incl.
XMME SOLAR 3	Water supply: Extern - drive: 24 Volt - lithium-ion accu - autonomy: 2 hour(s) - surface: 1000 m²/u - speed: Max. 35 m/min - dimensions: 98 x 66 x 45 cm - weight: 35 kg	€ 13.387,60	€ 16.199
XMME SOLAR 2	Water supply: Extern - drive: 24 Volt - lithium-ion accu - autonomy: 2 hour(s) - surface: 1300 m²/u - speed: Max. 60 m/min - dimensions: 118 x 73 x 45 cm - weight: 39 kg	€ 17.850,40	€ 21.599
XMME SOLAR 1	Water supply: Extern - drive: 24 Volt - lithium-ion accu - autonomy: 4 hour(s) - surface: 1500 m²/u - speed: Max. 60 m/min - dimensions: 139 x 88 x 60 cm - weight: 58 kg	€ 24.544,60	€ 29.699

Options

Model	Specifications	Price VAT excl.	Price VAT incl.
XMME BATT24V14ALI	Lithium battery for "Solar 3" cleaning robot - 24 Volt - for 2 working hours	€ 561,98	€ 680
XMME BATT24V22ALI	Lithium battery for "Solar 2" cleaning robot - 24 Volt - for 2 working hours	€ 694,22	€ 840
XMME BATT24V42ALI	Lithium battery for "Solar 1" cleaning robot - 24 Volt - for 4 working hours	€ 1.636,36	€ 1.980
XMME CARLI10	Battery charger for lithium battery - 24V - 14ALI / 22ALI	€ 264,46	€ 320
XMME CARLI40	Battery charger for lithium battery - 24V - 42ALI	€ 289,26	€ 350
XMME KIT-AVV	Automatic hose reel - 40 m hose included	€ 570,25	€ 690
XMME KIT-TEL	Kit with camera and LCD monitor - for Solar cleaning robot	€ 1.776,86	€ 2.150

Solar panel cleaning brushes

Commercial use - Related products

Model	Specifications	Price VAT excl.	Price VAT incl.
XMME HSF	Water supply: Extern - working width: 40 cm - surface: 100 m²/hour(s) - dimensions: 40 x 15 x 30 cm - weight: 0,8 kg	€ 90,91	€ 110
XMME HSFG	Water supply: Extern - working width: 60 cm - surface: 150 m²/hour(s) - dimensions: 60 x 15 x 40 cm - weight: 1,2 kg	€ 148,76	€ 180
XMME HSRN	Water supply: Extern - working width: 40 cm - surface: 200/250 m²/hour(s) - dimensions: 40 x 50 x 20 cm - weight: 2,2 kg	€ 256,20	€ 310
XMME HSRN-NEW	Water supply: Extern - working width: 40 cm - surface: 200/250 m²/hour(s) - dimensions: 40 x 50 x 40 cm - weight: 2,8 kg	€ 495,87	€ 600
XMME HSRL6N	Water supply: Extern - working width: 60 cm - drive: min. 40 bar - 6 l/min - dimensions: 60 x 40 x 30 cm - weight: 4,6 kg	€ 2.132,23	€ 2.580
XMME HSRL624VN	Water supply: Extern - working width: 60 cm - drive: min. 3 bar - 3 l/min - dimensions: 60 x 40 x 30 cm - weight: 6,4 kg	€ 2.165,29	€ 2.620
XMME HSRL8	Water supply: Extern - working width: 80 cm - drive: min. 50 bar - 9 l/min - dimensions: 80 x 40 x 30 cm - weight: 5,4 kg	€ 2.347,11	€ 2.840
XMME HSRL824V	Water supply: Extern - working width: 80 cm - drive: min. 3 bar - 3 l/min - dimensions: 80 x 40 x 30 cm - weight: 7,2 kg	€ 2.487,60	€ 3.010
XMME HSRL10	Water supply: Extern - working width: 100 cm - drive: min. 50 bar - 9 l/min - dimensions: 100 x 40 x 30 cm - weight: 6,2 kg	€ 2.710,74	€ 3.280
XMME HSRL1024V	Water supply: Extern - working width: 100 cm - drive: min. 3 bar - 3 l/min - dimensions: 100 x 40 x 30 cm - weight: 8 kg	€ 2.966,94	€ 3.590

Options

Model	Specifications	Price VAT excl.	Price VAT incl.
XMME BATT24V-9ALI	Lithium battery for rotating roller brush - 24 Volt - for 2 working hours	€ 438,02	€ 530
XMME CARLI5	Battery charger for lithium battery - 24V - 9ALI	€ 181,82	€ 220
XMME CAVO-24V/M	Extension cable for rotating roller brush 24V - price per meter - max. length 30m	€ 8,26	€ 10

XMME HHOSE	High pressure hose hydro pure - price per meter	€ 8,26	€ 10
XMME HSRL10-P	Protection plate for rotating brush 100 cm - model HSRL10 - aluminum	€ 148,76	€ 180
XMME HSRL10-P24	Protection plate for rotating brush 100 cm - model HSRL1024V - aluminum	€ 157,03	€ 190
XMME HSRL6-P	Protection plate for rotating brush 60 cm - model HSRL6N - aluminum	€ 123,97	€ 150
XMME HSRL6-P24	Protection plate for rotating brush 60 cm - model HSRL624VN - aluminum	€ 140,50	€ 170
XMME HSRL8-P	Protection plate for rotating brush 80 cm - model HSRL8 - aluminum	€ 132,23	€ 160
XMME HSRL8-P24	Protection plate for rotating brush 80 cm - model HSRL824V - aluminum	€ 148,76	€ 180
XMME TRASF	Transformer for rotating roller brush drive - 220V / 24V	€ 570,25	€ 690
XMME ZAIN	Backpack for lithium batterie	€ 140,50	€ 170

Telescopic poles for brush

Commercial use - Related products

Model	Specifications	Price VAT excl.	Price VAT incl.
XMME HLT4	Tube length: Min. 2,4 m - tube length: Max. 4,2 m - material 1: Aluminium - steel: 2 sections - weight: 2,7 kg	€ 446,28	€ 540
XMME HLT4/3	Tube length: Min. 1,6 m - tube length: Max. 4,5 m - material 1: Aluminium - steel: 3 sections - weight: 2,7 kg	€ 471,07	€ 570
XMME HLT6	Tube length: Min. 2,4 m - tube length: Max. 6,2 m - material 1: Aluminium - steel: 3 sections - weight: 3,4 kg	€ 537,19	€ 650
XMME HLT7	Tube length: Min. 2,9 m - tube length: Max. 7,6 m - material 1: Aluminium - steel: 3 sections - weight: 3,9 kg	€ 586,78	€ 710
XMME HLTC7	Tube length: Min. 1,8 m - tube length: Max. 7,7 m - material 1: Carbon - steel: 5 sections - weight: 2,2 kg	€ 966,94	€ 1.170
XMME HLTC9	Tube length: Min. 1,8 m - tube length: Max. 9,0 m - material 1: Carbon - steel: 6 sections - weight: 2,6 kg	€ 1.024,79	€ 1.240

Demineralization Stations

Commercial use - Electric engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XMME HPS-PRO360	Water supply: Extern - motor: 220 Volt - power: 2200 Watt - flow: flow rate 6 l/min - tank: 100 L - dimensions: 80 x 170 x 135 cm - weight: 165 kg	€ 4.875,21	€ 5.899
XMME HPS-PRO720	Water supply: Extern - motor: 220 Volt - power: 2200 Watt - flow: flow rate 12 l/min - tank: 100 L - dimensions: 80 x 170 x 135 cm - weight: 170 kg	€ 7.106,61	€ 8.599

Options

Model	Specifications	Price VAT excl.	Price VAT incl.
XMME QUADRO230	Automatic switching-off panel with 220V level sensor - for Hydro Pure Station	€ 1.165,29	€ 1.410