Fieldcare

Trailed salt and sand spreaders

Commercial use - Wheel traction

Model	Specifications	Price VAT excl.	Price VAT incl.
XSNX SP-85	Drive: push model - content: 55 kg - spreading width: to 3,7 m - chassis: steel - powder-coated - tank: poly - weight: 19,1 kg	€ 742,98	**€ 899**

Commercial use - External battery

Model	Specifications	Price VAT excl.	Price VAT incl.
XSNX SP-1575	Drive: Ext. battery 12 V - max 25-30 Amp - capacity: 149 liter / 191 kg - spreading width: to 9,2 m - chassis: steel - powder-coated - tank: poly - weight: 72,6 kg	€ 3.304,96	**€ 3.999**

Public Services - External battery

Model	Specifications	Price VAT excl.	Price VAT incl.
XSNX SP-1675	Drive: Ext. battery 12 V - max 25 - 30 Amp - capacity: 170 liter / 291 kg - spreading width: to 11m - chassis: steel - powder-coated - tank: poly - weight: 131 kg	€ 3.800,83	**€ 4.599**
XSNX TS-32300	Drive: Ext. battery 12 V - max 25 - 30 Amp - capacity: 400 liter / 490 kg - spreading width: to 12,2 m - chassis: steel - powder-coated - tank: poly - weight: 175 kg	€ 5.949,59	**€ 7.199**

Options

Model	Specifications	Price VAT excl.	Price VAT incl.
XSNX 83745	Strobe light kit for V-Maxx / Helixx	€ 297,52	**€ 360**
XSNX ADF-020	Adjustable deflector	€ 206,61	**€ 250**
XSNX DRM-175	Drop utily mount	€ 677,69	**€ 820**
XSNX FFK-020	Kit for flow rate adjustment material	€ 198,35	**€ 240**
XSNX FLM-175	Mount for forlift	€ 462,81	**€ 560**
XSNX FSM-175	Mount for forlift	€ 818,18	**€ 990**
XSNX GAK-020	Gate kit	€ 520,66	**€ 630**
XSNX LDM-175	Support for hitch mount on 50mm receiver trailer	€ 148,76	**€ 180**
XSNX MGK-020	Kit for manual shut-off gate	€ 140,50	**€ 170**
XSNX PPT-175	Support for SWINGing pivot pal	€ 305,79	**€ 370**
XSNX SDK-020	Kit side-defectors spreader	€ 107,44	**€ 130**
XSNX TLR-175	Trailer for tractor or ATV	€ 520,66	**€ 630**
XSNX TLR-275	Trailer for tractor or ATV	€ 818,18	**€ 990**
XSNX TPD-020	Mounting support for 3 point tractor	€ 297,52	**€ 360**
XSNX TPM-175	3-point mount for tractor	€ 471,07	**€ 570**
XSNX UBM-175	Support for mounting on the body of service vehicles	€ 446,28	**€ 540**
XSNX UTM-175	Drop utily mount	€ 380,17	**€ 460**

De-Icing Sprayers

Commercial use - Battery

Model	Specifications	Price VAT excl.	Price VAT incl.
XSNX SL-80	Drive: battery 12 V - 7,5 Ah - capacity: 45 liter - spray width: to 1,2 m - chassis: steel - powder-coated - tank: poly - weight: 27,2 kg	€ 1.321,49	**€ 1.599**

Public Services - External battery

Model	Specifications	Price VAT excl.	Price VAT incl.
	Drive: Ext. battery 12 V - capacity: 378 liter - spray width: 1,8 m - chassis: steel -		

XSNX VSS-1000	powder-coated - tank: poly - weight: 78 kg	€ 4.048,76	**€ 4.899**
XSNX VSS-2000	Drive: Ext.battery 12 V - capacity: 757 liter - spray width: 1,8 m to 7,6 m - chassis: steel - powder-coated - tank: poly - weight: 204 kg	€ 7.189,26	**€ 8.699**
XSNX VSS-3000	Drive: Ext. battery 12 V - capacity: 1.136 liter - spray width: 1,8 m to 7,6 m - chassis: steel - powder-coated - tank: poly - weight: 236 kg	€ 7.437,19	**€ 8.999**

FAZA MACCHINE AGRICOLE

Fieldcare

Fertilizer, sand and salt spreaders

Semi-commercial use - Wheel traction

Model	Specifications	Price VAT excl.	Price VAT incl.
XFA GARDEN 100M	Version: push model - content: 100 liter - spreading width: 1 to 6 m - chassis: steel - tank: steel - Powder-coated - weight: 35 kg	€ 817,36	**€ 989**
XFA GARDEN 100	Version: pulled - content: 100 liter - spreading width: 1 to 6 m - chassis: steel - tank: steel - Powder-coated - weight: 40 kg	€ 825,62	**€ 999**

Commercial use - Wheel traction

Model	Specifications	Price VAT excl.	Price VAT incl.
XFA TFS 300 ATV	Version: pulled - content: 300 liter - spreading width: 2 to 12 m - chassis: steel - tank: steel - Powder-coated - weight: 125 kg	€ 3.057,02	**€ 3.699**

Commercial use - PTO shaft tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XFA FS 300	Version: carried, tractor - content: 300 liter - spreading width: 2 to 12 m - chassis: steel - tank: steel - Powder-coated - weight: 74 kg	€ 825,62	**€ 999**

Options

Model	Specifications	Price VAT excl.	Price VAT incl.
XFA COVER-500L	Cover for hopper of SSA / SSP 500 liters	€ 198,35	**€ 240**
XFA TFS08	Hook type A	€ 115,70	**€ 140**
XFA TFS09	Hook type B	€ 115,70	**€ 140**
XFA TFS10	Hook type C	€ 115,70	**€ 140**

Trailed salt and sand spreaders

Public Services - Wheel traction

Model	Specifications	Price VAT excl.	Price VAT incl.
XFA SSA 500 INOX	Version: pulled - content: 500 liter - spreading width: 2 to 12 m - chassis: steel - weight: 145 kg	€ 3.552,89	**€ 4.299**

Public Services - PTO shaft tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XFA SSP 500 INOX	Version: carried, tractor - content: 500 liter - spreading width: 2 to 12 m - chassis: steel - weight: 93 kg	€ 2.147,93	**€ 2.599**

Fieldcare

Bulk material spreaders

Industrial use - External battery

Model	Specifications	Price VAT excl.	Price VAT incl.
XTEX MS2000	Drive: Ext. battery 12 Volt - Max. 25 - 30 Amp - capacity: 315 liter - spreading width: to 9,1 m - chassis: steel - Powder-coated - tank: Poly - weight: 127 kg	€ 3.304,96	**€ 3.999**

Fieldcare

Hydro-Seeders

Commercial use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XTT HS-150	Tank content: 570 liter - motor: Honda GX200 OHV - cylinder: 196 cm³ - surface: 180 m² - hose: 30 m - weight: 150 kg - dim. transport (lxwxh): 180x100x125	€ 4.957,85	**€ 5.999**
XTT HS-300E8	Tank content: 1.135 liter - motor: Honda GX240 OHV - cylinder: 270 cm³ - surface: 360 m² - hose: 30 m - weight: 280 kg - dim. transport (lxwxh): 240x160x125	€ 7.933,06	**€ 9.599**
XTT HS-300EH	Tank content: 1.135 liter - motor: Honda GX390 OHV, elec. start - cylinder: 389 cm3 - surface: 360 m² - hose: 30 m - weight: 325 kg - dim. transport (lxwxh): 240x170x135	€ 10.990,90	**€ 13.299**
XTT HS-500EH	Tank content: 1.915 liter - motor: Honda GX390 OHV, elec. start - cylinder: 389 cm³ - surface: 600 m² - hose: 30 m - weight: 355 kg - dim. transport (lxwxh): 240x170x170	€ 12.230,60	**€ 14.799**

Accessories for hydro-seeders

Commercial use - Related products

Model	Specifications	Price VAT excl.	Price VAT incl.
XTT PREMIUM MULCH	For use with: all hs systems - product type: paper mulch - surface: 130 gr/m² to 280 gr/m² - weight: 22,7 kg	€ 39,67	**€ 48**
XTT TURBO CHARGE	For use with: all hs systems - product type: bio-stimulating - surface: 0,11 ml/m² - weight: 900 gr	€ 71,07	**€ 86**
XTT TURBO SORB	For use with: all hs systems - product type: irrigation reduction - surface: 1,11 gr/m² - weight: 4,5 kg	€ 79,34	**€ 96**
XTT TURBO TACK	Content: 1,4 kg	€ 79,34	**€ 96**
XTT PLANT MARVEL	For use with: all hs systems - product type: quick germination - surface: 8 - 16 gr/m² - weight: 11,5 kg	€ 99,17	**€ 120**
XTT WITCH.BREW 10	For use with: all hs systems - product type: erosion eliminating - surface: 1,12 gr/m² - weight: 4,5 kg	€ 132,23	**€ 160**

Fieldcare

Hydro-Seeders

Commercial use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XMM GS-I 500L H	Tank content: 500 liter - motor: Honda GX160 OHV - cylinder: 163 cm³ - surface: 180 m² - hose: 25 m - weight: 210 kg - dim. transport (lxwxh): 160x135x130	€ 4.709,92	**€ 5.699**
XMM GS-I 1000L H	Tank content: 1.000 liter - motor: Honda GX390 OHV - cylinder: 389 cm³ - surface: 320 m² - hose: 25 m - weight: 344 kg - dim. transport (lxwxh): 220x135x155	€ 8.676,86	**€ 10.499**

De-Icing Sprayers

Commercial use - PTO shaft tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XMM GPDI/P-300L	Tank content: 300 liter - drive: tractor - pump: AR 30 - flow: 30 l/min - pressure: 40 bar - weight: 75 kg	€ 2.147,93	**€ 2.599**
XMM GPDI/P-600L	Tank content: 600 liter - drive: tractor - pump: AR 30 - flow: 30 l/min - pressure: 40 bar - weight: 85 kg	€ 2.726,45	**€ 3.299**

Fieldcare

Snowblowers for walking tractors

Semi-commercial use - PTO shaft two-wheel tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XCER MTC L600	Drive: motocultor - power: min. 8 - 10 hp - waltz: ø 350 mm - working width: 60 cm - weight: 58 kg	€ 2.230,58	**€ 2.699**
XCER MTC L800	Drive: motocultor - power: min. 12 - 14 hp - waltz: ø 400 mm - working width: 80 cm - weight: 70 kg	€ 2.478,51	**€ 2.999**

Fieldcare

Trailed salt and sand spreaders

Commercial use - External battery

Model	Specifications	Price VAT excl.	Price VAT incl.
XWST PRO-FLO 525	Drive: Ext. battery 12 Volt - Max 25-30 Amp - capacity: 149 liter / 191 kg - spreading width: to 9,2 m - chassis: steel - Powder-coated - tank: Poly - weight: 72,6 kg	€ 4.131,40	**€ 4.999**

Public Services - External battery

Model	Specifications	Price VAT excl.	Price VAT incl.
XWST STRIKER 8	Drive: Ext. battery 12 Volt - Max. 25 - 30 Amp - capacity: 1.530 liter / 1.900 kg - spreading width: to 12,2 m - chassis: steel - INOX - tank: steel - INOX - weight: 279 kg	€ 6.610,74	**€ 7.999**

urbavert®

Fieldcare

Accessories for hydro-seeders

Commercial use - Related products

Model	Specifications	Price VAT excl.	Price VAT incl.
XUV URBA-FIX 1KG	For use with: all hs systems - product type: erosion eliminating - surface: 0,8 gr/m² - weight: 1 kg	€ 28,10	**€ 34**
XUV URBA-MULCH PRE	For use with: all hs systems - product type: paper mulch - surface: 100 - 180 gr/m² - weight: 10 kg	€ 66,12	**€ 80**
XUV URBA-MULCH ECO	For use with: all hs systems - product type: paper mulch - surface: 100 - 180 gr/m² - weight: 20 kg	€ 74,38	**€ 90**
XUV URBA-FIX 5KG	For use with: all hs systems - product type: erosion eliminating - surface: 0,8 gr/m² - weight: 5 kg	€ 123,97	**€ 150**

meccanica Morellato

Fieldcare

Leveling blades for two-wheel tractors

Semi-commercial use - PTO shaft two-wheel tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XMOR MINIPAL 90	Drive: motocultor - power: min. 6 hp - height adjustment: manual - working width: 90 cm - weight: 28 kg	€ 288,43	**€ 349**
XMOR MINIPAL 110	Drive: motocultor - power: min. 7 hp - height adjustment: manual - working width: 110 cm - weight: 31 kg	€ 329,75	**€ 399**

XMOR MINIPAL 120	Drive: motocultor - power: min. 9 hp - height adjustment: manual - working width: 120 cm - weight: 35 kg	€ 371,07	**€ 449**
XMOR MINIPAL 140	Drive: motocultor - power: min. 12 hp - height adjustment: manual - working width: 140 cm - weight: 40 kg	€ 412,40	**€ 499**

Options

Model	Specifications	Price VAT excl.	**Price VAT incl.**
XMOR O-MP-LEVA	Angle adjustment lever - kit - for all MINIPAL series models	€ 198,35	**€ 240**
XMOR O-MP-RUOTE	Front support wheels - height adjustable - for all MINIPAL series models	€ 148,76	**€ 180**
XMOR O-MP-SPONDE	Side plates for leveling blade - for all MINIPAL series models	€ 66,12	**€ 80**

Leveling blades for mini-tractors

Semi-commercial use - PTO shaft tractor

Model	Specifications	Price VAT excl.	**Price VAT incl.**
XMOR MINILIV 90	Drive: tractor - power: min. 12 hp - height adjustment: manual - working width: 90 cm - weight: 28 kg	€ 453,72	**€ 549**
XMOR MINILIV 110	Drive: tractor - power: min. 13,5 hp - height adjustment: manual - working width: 110 cm - weight: 31 kg	€ 495,04	**€ 599**
XMOR MINILIV 120	Drive: tractor - power: min. 15 hp - height adjustment: manual - working width: 120 cm - weight: 35 kg	€ 536,36	**€ 649**
XMOR MINILIV 140	Drive: tractor - power: min. 16,5 hp - height adjustment: manual - working width: 140 cm - weight: 40 kg	€ 577,69	**€ 699**