BERTOLINI
our power, your passion

Lawn Mowers
Flail mowers

Petrol engine - Semi-commercial use

XBER BTS 50











Model	XBER BTS 50
Price VAT incl.	**€ 4.299**
Price VAT excl.	€ 3.552,89
Motor	Emak K800 H
Cylinder	182 cm³
Wheels	4.00-8"
Mowing Height	20 - 80 mm
Cutting Width	50 cm
Weight	135 kg


Emak K800 H engine, displacement 182 cm3
Cutting width 50 cm
Self-propelled, 3 forward speeds (1,2 - 3,4 km/h)
+ 1 reverse (1.4 km/h)
Rotor with 26 Y-shaped mobile flails
Height and lateral position of handlebar adjustable
Central height adjustment from 20 to 80 mm
Wheels 4.00-8" with traction tread tires and brakes
Weight 135 kg

XBER BTS 65









Model	XBER BTS 65
Price VAT incl.	**€ 6.099**
Price VAT excl.	€ 5.040,50
Motor	Honda GX340 OHV
Cylinder	389 cm³
Wheels	16/6.50-8"
Mowing Height	20 - 80 mm
Cutting Width	65 cm
Weight	160 kg
Dim. Transport (LxWxH)	170x107x112


Honda GX340 OHV engine, displacement 389 cm3
Cutting width 65 cm
Self-propelled, 3 forward speeds (1,2 - 3,4 km/h)
+ 1 reverse (1.4 km/h)
Rotor with 38 Y-shaped mobile flails
Height and lateral position of handlebar adjustable
Central height adjustment from 20 to 80 mm
Wheels 16/6.50-8" with traction tread tires and brakes
Weight 160 kg

XBER BTS 80









Model	XBER BTS 80
Price VAT incl.	**€ 6.499**
Price VAT excl.	€ 5.371,07
Motor	Honda GX340 OHV
Cylinder	389 cm³
Wheels	16/6.50-8"
Mowing Height	20 - 80 mm
Cutting Width	80 cm
Weight	175 kg

Honda GX340 OHV engine, displacement 389 cm3
Cutting width 80 cm
Self-propelled, 3 forward speeds (1,2 - 3,4 km/h)
+ 1 reverse (1.4 km/h)
Rotor with 46 Y-shaped mobile flails
Height and lateral position of handlebar adjustable
Central height adjustment from 20 to 80 mm
Wheels 16/6.50-8" with traction tread tires and brakes
Weight 175 kg


Lawn Mowers
Flail mowers

Petrol engine - Semi-commercial use

XIB FM 621







Model	XIB FM 621
Price VAT incl.	**€ 5.399**
Price VAT excl.	€ 4.461,98
Motor	Honda GX200 OHV
Cylinder	196 cm³
Wheels	13x5.00-6"
Mowing Height	20 - 80 mm
Cutting Width	60 cm
Weight	138 kg

Honda GX200 engine, displacement 196 cm³
Cutting width 60 cm
Self-propelled, 2 forward speeds (1.6 - 1.9 km/h)
+ 1 reverse (1.6 km/h)
Rotor with 32 Y-shaped mobile flails
Height and lateral position of handlebar adjustable
Central height adjustment from 20 to 80 mm
Wheels 13x5.00-6" with traction tread tires and brakes
Weight 138 kg

XIB FM 642







Model	XIB FM 642
Price VAT incl.	**€ 6.099**
Price VAT excl.	€ 5.040,50
Motor	Honda GX270 OHV
Cylinder	270 cm³
Wheels	16x6.50-8"
Mowing Height	20 - 80 mm
Cutting Width	60 cm
Weight	168 kg

Honda GX270 OHV engine, displacement 270 cm³
Rotor with 32 Y-shaped mobile flails
Cutting width 60 cm
Height of handlebar adjustable
Central height adjustment
Wheels 16 x 6.50-8" with traction tread tires and brakes
Self-propelled, 4 forward speeds (1.2-2.1-2.6-4.5 km/h)
+ 2 reverse (1.2-2.6 km/h)
Weight 168 kg

XIB FM 842







Model	XIB FM 842
Price VAT incl.	**€ 6.299**
Price VAT excl.	€ 5.205,79
Motor	Honda GX270 OHV
Cylinder	270 cm³
Wheels	16x6.50-8"
Mowing Height	20 - 80 mm
Cutting Width	75 cm
Weight	173 kg
Dim. Transport (LxWxH)	192x120x115

Honda GX270 OHV engine, displacement 270 cm³
Rotor with 40 Y-shaped mobile flails
Cutting width 75 cm
Height of handlebar adjustable
Central height adjustment
Wheels 16 x 6.50-8" with traction tread tires and brakes
Self-propelled, 4 forward speeds (1.2-2.1-2.6-4.5 km/h)
+ 2 reverse (1.2-2.6 km/h)
Weight 173 kg

XIB FM 842 PRO H







Model	XIB FM 842 PRO H
Price VAT incl.	**€ 7.399**
Price VAT excl.	€ 6.114,88
Motor	Honda GX390 OHV
Cylinder	389 cm³
Wheels	16x6.50-8"
Mowing Height	20 - 80 mm
Cutting Width	75 cm
Weight	198 kg

Honda GX390 OHV engine, displacement 389 cm³
Cutting width 75 cm
Rotor with 40 Y-shaped mobile flails
Self-propelled, 4 forward speeds + 2 reverse
Adjustable handlebar
Wheels 16x6.50-8"
"Heavy Duty" fully rubber front wheels
Weight 198 kg

XIB FM 942 PRO H









Model	XIB FM 942 PRO H
Price VAT incl.	**€ 7.999**
Price VAT excl.	€ 6.610,74
Motor	Honda GX390 OHV
Cylinder	389 cm³
Wheels	16x6.50-8"
Mowing Height	20 - 80 mm
Cutting Width	87 cm
Weight	213 kg

Honda GX390 OHV engine, displacement 389 cm³
Cutting width 87 cm
Rotor with 48 Y-shaped mobile flails
Self-propelled, 4 forward speeds + 2 reverse
Adjustable handlebar
Wheels 16x6.50-8"
Mowing height
"Heavy Duty" fully rubber front wheels
Weight 213 kg

XIB FM 642 HD









Model	XIB FM 642 HD
Price VAT incl.	**€ 8.499**
Price VAT excl.	€ 7.023,97
Motor	Honda GX270 OHV
Cylinder	270 cm³
Wheels	Tracks
Mowing Height	20 - 80 mm
Cutting Width	60 cm
Weight	233 kg

Honda GX270 OHV engine, displacement 270 cm³
Cutting width 60 cm
Self-propelled, 4 forward speeds + 2 reverse
Rotor with 32 Y-shaped mobile flails
Adjustable handlebar
Professional powered hammer mower with caterpillar tracks.
Unstoppable!
Mowing height 20 - 80 mm
Weight 233 kg

XIB FM 842 HD








Model	XIB FM 842 HD
Price VAT incl.	**€ 8.999**
Price VAT excl.	€ 7.437,19
Motor	Honda GX390 OHV
Cylinder	389 cm³
Wheels	Tracks
Mowing Height	20 - 80 mm
Cutting Width	75 cm
Weight	268 kg

Honda GX390 OHV engine, displacement 389 cm³
Cutting width 75 cm
Rotor with 40 Y-shaped mobile hammers.
Central height adjustment from 20 to 80 mm
Traction with caterpillar tracks
Height adjustment via convenient lever, includes solid guard
Weight 268 kg

Petrol engine - Residential use

XBEN T603 H








Model	XBEN T603 H
Price VAT incl.	**€ 5.299**
Price VAT excl.	€ 4.379,40
Cutting Width	60 cm
Motor	Honda GX200 OHV
Cylinder	198 cm³
Drive	2 gears forwards + 1 reverse
Mowing Height	20 - 80 mm
Weight	129 kg
Dim. Transport (LxWxH)	172x83x114

Honda GX200 OHV engine, displacement 198 cm³
Cutting width 60 cm
Self-propelled, 2 forward speeds (1.6 - 1.9 km/h)
+ 1 reverse (1.6 km/h)
Rotor with 32 Y-flails
Height and lateral position of handlebar adjustable
Wheels 13 x 5.00-6" with traction tread tires and brakes
Central height adjustment from 20 to 80 mm and guard
Weight 129 kg

XBEN T600S H







Model	XBEN T600S H
Price VAT incl.	**€ 5.699**
Price VAT excl.	€ 4.709,92
Motor	Honda GX270 OHV
Cylinder	270 cm³
Wheels	16/6.50-8"
Mowing Height	20 - 80 mm
Cutting Width	60 cm
Weight	192 kg
Dim. Transport (LxWxH)	172x83x101

Honda GX270 OHV engine, displacement 270 cm3
Cutting width 60 cm
Self-propelled, 2 forward speeds (1,6 - 1,9 km/h)
+ 1 reverse (1,6 km/h)
Rotor with 24 Y-shaped mobile flails
Height and lateral position of handlebar adjustable
Central height adjustment from 20 to 80 mm
Wheels 16/6.50-8" with traction tread tires and brakes
Weight 192 kg

XBEN T750S H







Model	XBEN T750S H
Price VAT incl.	**€ 7.399**
Price VAT excl.	€ 6.114,76
Motor	Honda GX270 OHV
Cylinder	270 cm³
Wheels	16/6.50-8"
Mowing Height	20 - 80 mm
Cutting Width	75 cm
Weight	200 kg
Dim. Transport (LxWxH)	170x110x117

Honda GX270 OHV engine, displacement 270 cm³
Cutting width 75 cm
Self-propelled, 2 forward speeds (1,6 - 1,9 km/h)
+ 1 reverse (1,6 km/h)
Rotor with 36 Y-shaped mobile flails
Height and lateral position of handlebar adjustable
Central height adjustment from 20 to 80 mm
Wheels 16/6.50-8" with traction tread tires and brakes
Weight 200 kg

XBEN T600P H















Model	XBEN T600P H
Price VAT incl.	**€ 7.899**
Price VAT excl.	€ 6.528,10
Motor	Honda GX270 OHV
Cylinder	270 cm³
Wheels	16/6.50-8"
Mowing Height	20 - 80 mm
Cutting Width	60 cm
Weight	200 kg

Honda GX270 OHV engine, displacement 270 cm³
Cutting width 60 cm
Self-propelled, 4 forward speeds + 2 reverse
Rotor with 24 Y-shaped mobile flails
Height and lateral position of handlebar adjustable
Central height adjustment from 20 to 80 mm
Wheels 16/6.50-8" with traction tread tires and brakes
Weight 200 kg

XBEN T750P H







Model	XBEN T750P H
Price VAT incl.	**€ 8.399**
Price VAT excl.	€ 6.941,32
Motor	Honda GX390 OHV
Cylinder	389 cm³
Wheels	16/6.50-8"
Mowing Height	20 - 80 mm
Cutting Width	75 cm
Weight	210 kg

Honda GX390 OHV engine, displacement 389 cm³
Cutting width 75 cm
Self-propelled, 4 forward speeds + 2 reverse
Rotor with 36 Y-shaped mobile flails
Height and lateral position of handlebar adjustable
Central height adjustment from 20 to 80 mm
Weight 210 kg
Wheels 16/6.50-8" with traction tread tires and brakes

XBEN T900P H







Model	XBEN T900P H
Price VAT incl.	**€ 9.299**
Price VAT excl.	€ 7.685,12
Motor	Honda GX390 OHV
Cylinder	389 cm³
Wheels	16/6.50-8"
Mowing Height	20 - 80 mm
Cutting Width	90 cm
Weight	223 kg

Honda GX390 OHV engine, displacment 389 cm³
Cutting width 75 cm
Self-propelled, 4 forward speeds + 2 reverse
Rotor with 36 Y-shaped mobile flails
Height and lateral position of handlebar adjustable
Central height adjustment from 20 to 80 mm
Wheels 16/6.50-8" with traction tread tires and brakes
Weight 210 kg

Petrol engine - Semi-commercial use

XMB TR 500









Model	XMB TR 500
Price VAT incl.	**€ 4.399**
Price VAT excl.	€ 3.635,54
Motor	B&S series 950E OHV
Cylinder	208 cm³
Wheels	4.00-8"
Mowing Height	20 - 80 mm
Cutting Width	50 cm
Weight	124 kg

B&S Serie 950E OHV engine, displacement 208 cm³

Cutting width 50 cm
Self-propelled, 3 forward speeds + 1 reverse
Rotor with 20 Y-shaped mobile flails
Height and lateral position of handlebar adjustable
Central height adjustment from 20 to 80 mm
Wheels 4.00-8" with traction tread tires and brakes
Weight 124 kg

XMB TR 600 HYDRO







Model	XMB TR 600 HYDRO
Price VAT incl.	**€ 5.999**
Price VAT excl.	€ 4.957,85
Motor	B&S Serie 3105 OHV
Cylinder	344 cm³
Wheels	16/6.50-8"
Mowing Height	20 - 80 mm
Cutting Width	60 cm
Weight	152 kg
Dim. Transport (LxWxH)	150x75x105

B&S Serie 3105 OHV engine, displacement 344 cm³

Cutting width 60 cm
Self-propelled, hydrostatic forward speed (0 - 6 km/h) + reverse
Rotor with 28 Y-shaped mobile flails
Height and lateral position of handlebar adjustable
Central height adjustment from 20 to 80 mm
Wheels 16/6.50-8" with traction tread tires and brakes
Weight 152 kg

XMB TR 800 HYDRO











Model	XMB TR 800 HYDRO
Price VAT incl.	**€ 7.199**
Price VAT excl.	€ 5.949,59
Motor	B&S Serie 3125 OHV
Cylinder	344 cm³
Wheels	16/6.50-8"
Mowing Height	20 - 80 mm
Cutting Width	75 cm
Weight	164 kg

B&S Serie 3125 engine, displacement 344 cm³

Cutting width 75 cm
Self-propelled, hydrostatic forward speed (0 - 6 km/h)
+ reverse
Rotor with 36 Y-shaped mobile flails
Height and lateral position of handlebar adjustable
Central height adjustment from 20 to 80 mm
Wheels 16/6.50-8" with traction tread tires and brakes
Weight 164 kg