
Petrol engine - Commercial use

XFO VF80 BOLT














Model	XFO VF80 BOLT
Price VAT incl.	**€ 1.999**
Price VAT excl.	€ 1.652,07
Motor	Solo
Power	50,8 cm³
Max. traction	815 kg - 1.630 kg
Drum speed	26 m/min
Dimensions	35 x 34 x 25 cm
Weight	10,5 kg

Portable Forestry Winch for Ø 10/12 mm rope
Powerful Solo gasoline engine, displacement 50,8 cm³
Semi-automatic accelerator
Maximum pulling force 815 kg
The maximum pulling force with pulley is 1.630 kg
Drum speed of 26 m/min
Automatic braking system
Weight 10.5 kg

Rope optional!

XFO VF105 RED IRON













Model	XFO VF105 RED IRON
Price VAT incl.	**€ 2.199**
Price VAT excl.	€ 1.817,35
Motor	Solo
Power	50,8 cm³
Max. traction	1.050 kg - 2.100 kg
Drum speed	26 m/min
Dimensions	35 x 34 x 25 cm
Weight	10,5 kg

Extremely powerful portable forestry winch
Powerful Solo gasoline engine, displacement 50,8 cm³
Semi-automatic accelerator
Maximum pulling force 1,050 kg
Maximum pulling power with pulley 2,100 kg.
Drum speed of 26 m/min
Automatic braking system
Rope optional!
Weight 10.5 kg

XFO VF150









Model	XFO VF150
Price VAT incl.	**€ 2.399**
Price VAT excl.	€ 1.982,65
Motor	Solo
Power	50,8 cm³
Max. traction	1.420 kg - 2.840 kg
Steel cable	80 m x ø 5mm
Dimensions	55 x 36 x 36 cm
Weight	23 kg

Portable forestry winch with manual cable guide
Powerful Solo gasoline engine, displacement 50,8 cm³
Maximum pulling power 1.420 kg
Pulling power with pulley 2.840 kg
Includes 80 m x Ø 5 mm cable
Automatic braking system
Weight 23 kg

XFO VF900-4 NIPPON









Model	XFO VF900-4 NIPPON
Price VAT incl.	**€ 2.399**
Price VAT excl.	€ 1.982,65
Motor	Honda GX50 OHV
Power	50 cm³
Max. traction	895 kg - 1.730 kg
Drum speed	14 m/min
Dimensions	35 x 34 x 25 cm
Weight	10,85 kg

Extremely powerful portable forestry winch
Honda GX50 4-stroke engine, displacement 50 cm³

Semi-automatic accelerator
Maximum pulling force 865 kg
Maximum pulling power with pulley 1.730 kg
Drum speed of 14 m/min
Automatic braking system
Weight 10.85 kg

Portable forestry winch for Ø 5, 10 or 12 mm rope
Rope optional!

XFO VF150 AUTO









Model	XFO VF150 AUTO
Price VAT incl.	**€ 2.899**
Price VAT excl.	€ 2.395,87
Motor	Solo
Power	50,8 cm³
Max. traction	1.420 kg - 2.840 kg
Steel cable	80 m x ø 5 mm
Dimensions	59 x 36 x 36 cm
Weight	28 kg

Portable forestry winch with automatic cable guide.

Powerful Solo gasoline engine, 50,8 cm³
Maximum pulling power 1,420 kg
Pulling power with pulley 2,840 kg
Includes 80 m x Ø 5 mm cable
Automatic braking system
Weight 28 kg

XFO VF155













Model	XFO VF155
Price VAT incl.	**€ 2.999**
Price VAT excl.	€ 2.478,51
Motor	Solo
Power	50,8 cm³
Max. traction	1.485 kg - 2.970 kg
Steel cable	80 m x ø 5mm
Dimensions	55 x 36 x 36 cm
Weight	21,5 kg

Portable forestry winch with manual cable guide
Powerful Solo gasoline engine, displacement 50,8 cm³
Maximum pulling power 1.485 kg
Pulling power with pulley 2.970 kg
Includes 80 m x Ø 5 mm cable
Automatic braking system
Weight 21,5 kg

XFO VF150 AUTO-4











Model	XFO VF150 AUTO-4
Price VAT incl.	**€ 3.099**
Price VAT excl.	€ 2.561,16
Motor	Honda GX50 OHV
Power	50 cm³
Max. traction	1.420 kg - 2.840 kg
Steel cable	80 m x ø 5 mm
Dimensions	59 x 36 x 36 cm
Weight	28 kg

Portable forestry winch with automatic cable guide
Powerful Honda GX50 gasoline engine, 4-stroke
Displacement 50 cm³
Maximum pulling power 1,420 kg
Pulling power with pulley 2,840 kg
Includes 80 m x Ø 5 mm cable
Automatic braking system
Weight 28 kg

XFO VF155 AUTO













Model	XFO VF155 AUTO
Price VAT incl.	**€ 3.299**
Price VAT excl.	€ 2.726,45
Motor	Solo
Power	50,8 cm³
Max. traction	1.485 kg - 2.970 kg
Steel cable	80 m x ø 5 mm
Dimensions	59 x 36 x 36 cm
Weight	25 kg

Portable forestry winch with automatic cable guide
Powerful Solo gasoline engine, displacement 50,8 cm³
Maximum pulling power 1.485 kg
Pulling power with pulley 2.970 kg
Includes 80 m x Ø 5 mm cable
Automatic braking system
Weight 25 kg

XFO VF155 AUTO-4















Model	XFO VF155 AUTO-4
Price VAT incl.	**€ 3.499**
Price VAT excl.	€ 2.891,74
Motor	Honda GX35 OHV
Power	50 cm³
Max. traction	1.260 kg - 2.520 kg
Steel cable	80 m x ø 5 mm
Dimensions	59 x 39 x 36 cm
Weight	25,35 kg


Portable forestry winch with automatic cable guide
Powerful Honda GX50 gasoline engine, 4-stroke
Displacement 50 cm³
Maximum pulling power 1.260 kg
Pulling power with pulley 2.520 kg
Includes 80 m x Ø 5 mm cable
Automatic braking system
Weight 25,35 kg

Electric engine - Semi-commercial use

XFO BSF315 E







Model	XFO BSF315 E
Price VAT incl.	**€ 1.599**
Price VAT excl.	€ 1.321,49
Motor	Electric 220 V
Power	2.200 W
Blades	Ø 315 mm
Cutting depth	120 mm
Weight	88 kg

Table saw with 220 V electric motor
Power 2,200 W
Cutting disc Ø 315 mm, with "widia" teeth
Cutting opening 120 mm
Transmission by 2 belts
Wheels ø 100 mm
Weight 88 kg


XFO TT600 E

















Model	XFO TT600 E
Price VAT incl.	**€ 1.999**
Price VAT excl.	€ 1.652,07
Motor	Electric 220 V
Power	2.200 Watt
Blades	Ø 600 mm
Cutting depth	290 mm
Dimensions	82 x 124 x 112 cm
Weight	108 kg

Tilting circular saw with 220 V electric motor
Power 2,200 W


Cutting disc Ø 600 mm with widia teeth
Cutting depth 290 mm

Weight 108 kg

PTO shaft tractor - Semi-commercial use

XFO TT600 T















Model	XFO TT600 T
Price VAT incl.	**€ 1.899**
Price VAT excl.	€ 1.569,42
Drive	Tractor
Power	Min. 7 hp
Blades	Ø 600 mm
Cutting depth	290 mm
Dimensions	82 x 124 x 112 cm
Weight	108 kg

Tilting circular saw for tractor
PTO, 3-point hitch
Min. 7 hp, PTO 540 r/min
Cutting disc Ø 600 mm with widia teeth
Cutting depth 290 mm
Weight 108 kg

Electric engine - Residential use

XFO SF75 XX E







Model	XFO SF75 XX E
Price VAT incl.	**€ 1.699**
Price VAT excl.	€ 1.404,13
Motor	Electric 220 V
Power	2.200 Watt
Cleave Length	50 cm
Cleave Power	7 ton
Dimensions	60 x 56 x 110 cm
Weight	102 kg

220 V electric motor
Power 2,200 W
7 ton splitting force
Splitting length 50 cm
Splitting height 54 cm
Oil tank 7 liters
Weight 102 kg

XFO SF80 XX E











Model	XFO SF80 XX E
Price VAT incl.	**€ 2.199**
Price VAT excl.	€ 1.817,35
Motor	Electric 220 V
Power	2.200 Watt
Cleave Length	50 cm
Cleave Power	8 ton
Dimensions	72 x 64 x 112 cm
Weight	122 kg


220 V electric motor
Power 2,200 W
8 ton splitting force
Splitting length 50 cm
Splitting height 54 cm
2 splitting speeds
Oil tank 8 liters
Weight 122 kg

Electric engine - Semi-commercial use

XFO SF100 XX E







Model	XFO SF100 XX E
Price VAT incl.	**€ 2.499**
Price VAT excl.	€ 2.065,29
Motor	Electric 220 V
Power	2.200 Watt
Cleave Length	50 cm
Cleave Power	8,15 ton
Dimensions	74 x 66 x 114 cm
Weight	154 kg

220 V electric motor
Power 2,200 W
8,15 ton splitting force
Splitting length 50 cm
Splitting height 54 cm
2 splitting speeds
Oil tank 13 liters
Weight 154 kg

Petrol engine - Semi-commercial use

XFO SF100 XX B





Model	XFO SF100 XX B
Price VAT incl.	**€ 2.899**
Price VAT excl.	€ 2.395,87
Motor	LONCIN OHV
Cylinder	210 cm³
Cleave Length	50 cm
Cleave Power	8,15 ton
Dimensions	84 x 66 x 114 cm
Weight	154 kg

Petrol engine LONCIN OHV 4-stroke
Cylinder capacity 210 cm³
8,15 ton splitting force
Splitting length 50 cm
Splitting height 54 cm
2 splitting speeds
Oil tank 13 liters
Weight 154 kg

PTO shaft tractor - Semi-commercial use

XFO SF100 XX T








Model	XFO SF100 XX T
Price VAT incl.	**€ 2.399**
Price VAT excl.	€ 1.982,65
Drive	Tractor
Power	Min. 25 hp
Cleave Length	50 cm
Cleave Power	8,15 ton
Weight	84 x 72 x 114 cm
Weight	154 kg

Tractor PTO version
Min. 25 hp, 540 r/min
8,15 ton splitting force
Splitting length 50 cm
Splitting height 54 cm
Oil tank 13 liters
Weight 154 kg

XFO SF110 XX T







Model	XFO SF110 XX T
Price VAT incl.	**€ 2.999**
Price VAT excl.	€ 2.478,51
Drive	Tractor
Power	Min. 35 hp
Cleave Length	50 cm
Cleave Power	8,15 ton
Dimensions	98 x 72 x 222 cm
Weight	210 kg

Tractor PTO version, 540 r/min
Recommended min. power 35 hp
8,15 ton splitting force
Splitting length 50 cm
Splitting height 54 cm
Oil tank 18 liters
Weight 210 kg

XFO SF130 XX T









Model	XFO SF130 XX T
Price VAT incl.	**€ 3.967**
Price VAT excl.	€ 3.278,84
Drive	Tractor
Power	Min. 35 hp
Cleave Length	100 cm
Cleave Power	13 ton
Dimensions	110 x 95 x 265 cm
Weight	300 kg

Tractor PTO version, 540 r/min
Recommended min. power 35 hp
13 ton splitting force
Splitting length 100 cm
Splitting height 121 cm
Oil tank 21 liters
Including stump lifting device
Weight 300 kg

XFO SF180 XX T







Model	XFO SF180 XX T
Price VAT incl.	**€ 3.999**
Price VAT excl.	€ 3.304,96
Motor	Tractor
Power	Min. 40 hp
Cleave Length	100 cm
Cleave Power	18 Ton
Dimensions	110 x 95 x 265 cm
Weight	310 kg

Tractor PTO version, 540 r/min
Recommended min. power 40 hp
18 ton splitting force
Splitting length 100 cm
Splitting height 121 cm
Oil tank 21 liters
Including stump lifting device
Weight 310 kg

XFO SF180 XX TE











Model	XFO SF180 XX TE
Price VAT incl.	**€ 4.699**
Price VAT excl.	€ 3.883,47
Drive	Tractor / 220 V
Power	Min. 40 hp
Cleave Length	100 cm
Cleave Power	18 / 16 ton
Dimensions	110 x 95 x 265 cm
Weight	320 kg

Combination of wood splitter for tractor PTO version
And with an electric 220 V motor, 2,200 W power
Recommended min. power 40 hp
Splitting force, by PTO 18 ton ,by electric motor 16 ton
Splitting length 100 cm
Splitting height 121 cm
Oil tank 21 liters
Including stump lifting device
Weight 320 kg