



Forestry & recycling

Stumpgrinders

Commercial use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XCA SG-PP-13	Motor: Honda GX390 OHV - cylinder: 389 cm ³ - drive: centrifugal link - wheels: push model - weight: 130 kg - dim. transport (lwxh): 170x80x152	€ 6.032,23	€ 7.299
XCA SG-SP-24	Motor: Honda GX690 OHV, elec. start - cylinder: 688 cm ³ - drive: electro-clutch - wheels: self-propelled, hydrostatic - weight: 235 kg - dim. transport (lwxh): 180x80x152	€ 12.065,30	€ 14.599

Commercial use - PTO shaft two-wheel tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XCA SG-MTC	Drive: motocultor - power: 10 - 15 hp - clutch: shortcut - number of teeth: 8 - weight: 52 kg	€ 2.147,93	€ 2.599

Shredders

Residential use - Electric engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XCA BIO40 E	Ø max. branches: 4 cm - motor: electric 220 V - power: 2.200 Watt - number of blades: 1 - clappers: n/a - weight: 49 kg - dim. transport (lwxh): 67x67x95	€ 1.156,20	€ 1.399
XCA BIO50 E	Ø max. branches: 5 cm - motor: electric 220 V - power: 2.200 Watt - number of blades: 1 - clappers: 6 - weight: 53 kg - dim. transport (lwxh): 68x68x95	€ 1.321,49	€ 1.599
XCA BIO60 E	Ø max. branches: 5 cm - motor: electric 220 V - power: 2.200 Watt - number of blades: 1 - clappers: 12 - weight: 65 kg - dim. transport (lwxh): 95x60x120	€ 1.900,00	€ 2.299
XCA TRX 50 E	Ø max. branches: 5 cm - motor: electric 220 V - power: 2.200 Watt - number of blades: 1 - weight: 65 kg - dim. transport (lwxh): 120x80x67	€ 1.900,00	€ 2.299

Residential use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XCA BIO40 H	Ø max. branches: 4 cm - motor: Honda GP160 OHV - cylinder: 163 cm ³ - number of blades: 1 - clappers: n/a - weight: 51 kg - dim. transport (lwxh): 68x68x107	€ 1.238,84	€ 1.499
XCA BIO50 H	Ø max. branches: 5 cm - motor: Honda GP160 OHV - cylinder: 163 cm ³ - number of blades: 1 - clappers: 6 - weight: 55 kg - dim. transport (lwxh): 68x68x95	€ 1.404,13	€ 1.699
XCA BIO55 H5	Ø max. branches: 5 cm - motor: Honda GP160 OHV - cylinder: 163 cm ³ - number of blades: 1 - clappers: 6 - weight: 61 kg - dim. transport (lwxh): 86x70x100	€ 1.817,35	€ 2.199
XCA BIO60 H5	Ø max. branches: 5 cm - motor: Honda GP160 OHV - cylinder: 163 cm ³ - number of blades: 1 - clappers: 12 - weight: 67 kg - dim. transport (lwxh): 90x56x120	€ 1.982,64	€ 2.399
XCA BIO55 H6.5	Ø max. branches: 5 cm - motor: Honda GX200 OHV - cylinder: 196 cm ³ - number of blades: 1 - clappers: 6 - weight: 63 kg - dim. transport (lwxh): 85x69x112	€ 1.982,64	€ 2.399
XCA TRX 50S H5	Ø max. branches: 5 cm - motor: Honda GP160 OHV - cylinder: 163 cm ³ - number of blades: 2 - weight: 69 kg - dim. transport (lwxh): 120x80x68	€ 1.982,64	€ 2.399
XCA BIO60 H6.5	Ø max. branches: 5 cm - motor: Honda GX200 OHV - cylinder: 196 cm ³ - number of blades: 1 - clappers: 12 - weight: 71 kg - dim. transport (lwxh): 95x60x118	€ 2.230,58	€ 2.699

Semi-commercial use - Electric engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XCA BIO80 E	Ø max. branches: 7 cm - motor: electric 220V - power: 2.200 Watt - number of blades: 1 - clappers: 27 - weight: 78 kg	€ 2.643,80	€ 3.199

Semi-commercial use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
-------	----------------	-----------------	-----------------

XCA TRX 50S H6.5	Ø max. branches: 5 cm - motor: Honda GX200 OHV - cylinder: 198 cm³ - number of blades: 2 - weight: 70 kg - dim. transport (lxwxh): 120x80x65	€ 2.147,93	€ 2.599
XCA BIO80 H	Ø max. branches: 7 cm - motor: Honda GX200 OHV - cylinder: 196 cm³ - number of blades: 1 - clappers: 27 - weight: 81 kg - dim. transport (lxwxh): 110x48x107	€ 2.891,74	€ 3.499
XCA TRX 50SR H6.5	Ø max. branches: 5 cm - motor: Honda GX200 OHV - cylinder: 198 cm³ - number of blades: 2 - weight: 70 kg - dim. transport (lxwxh): 85x68x112	€ 3.057,02	€ 3.699
XCA BIO90 H9	Ø max. branches: 7 cm - motor: Honda GX270 OHV - cylinder: 270 cm³ - number of blades: 2 - clappers: 12 - weight: 105 kg - dim. transport (lxwxh): 120x80x134	€ 3.139,67	€ 3.799
XCA BIO90 H13	Ø max. branches: 7 cm - motor: Honda GX390 OHV - cylinder: 389 cm³ - number of blades: 2 - clappers: 12 - weight: 112 kg - dim. transport (lxwxh): 120x80x134	€ 3.387,60	€ 4.099
XCA BIO90XL H	Ø max. branches: 7 cm - motor: Honda GX390 OHV - cylinder: 389 cm³ - number of blades: 2 - clappers: 12 - weight: 124 kg - dim. transport (lxwxh): 165x80x140	€ 4.048,76	€ 4.899
XCA BIO150 H	Ø max. branches: 9 cm - motor: Honda GX390 OHV - cylinder: 389 cm³ - number of blades: 1 - clappers: 36 - weight: 150 kg	€ 4.709,92	€ 5.699

Semi-commercial use - PTO shaft two-wheel tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XCA TRX 50S M	Ø max. branches: 5 cm - drive: motocultor - power: 8 - 12 hp - number of blades: 2 - weight: 66 kg	€ 2.065,29	€ 2.499
XCA BIO80 M	Ø max. branches: 7 cm - drive: motocultor - power: 5 - 10 hp - number of blades: 1 - clappers: 27 - weight: 65 kg	€ 2.230,58	€ 2.699
XCA BIO90 M	Ø max. branches: 7 cm - drive: motocultor - power: 8 - 12 hp - number of blades: 2 - clappers: 12 - weight: 92 kg	€ 2.643,80	€ 3.199

Semi-commercial use - PTO shaft tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XCA TRX 50S T	Ø max. branches: 5 cm - drive: tractor - power: 8 - 12 hp - number of blades: 2 - weight: 72 kg - dim. transport (lxwxh): 120x80x148	€ 2.395,87	€ 2.899
XCA BIO150 T	Ø max. branches: 9 cm - drive: tractor PTO - power: 12 - 30 hp - blades: 1 - hammers: 36 - weight: 110 kg	€ 3.222,31	€ 3.899
XCA BIO90 T	Ø max. branches: 7 cm - drive: tractor PTO - power: 10 - 25 hp - number of blades: 2 - clappers: 12 - weight: 95 kg - dim. transport (lxwxh): 140x80x135	€ 3.304,96	€ 3.999

Commercial use - Electric engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XCA BIO90 E	Ø max. branches: 7 cm - motor: 380V - 3-phase - power: 10 hp - blades: 2 - hammers: 12 - weight: 78 kg	€ 3.222,31	€ 3.899
XCA BIO190 E	Ø max. branches: 10 cm - motor: 380V - 3-phase - power: 15 hp - blades: 3 - hammers: 24 - weight: 300 kg	€ 5.866,94	€ 7.099

Commercial use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XCA BIO190 H	Ø max. branches: 10 cm - motor: Honda GX390 OHV - cylinder: 389 cm³ - number of blades: 3 - clappers: 24 - weight: 325 kg - dim. transport (lxwxh): 210x110x204	€ 6.941,32	€ 8.399
XCA BIO190 H R	Ø max. branches: 10 cm - motor: Honda GX390 OHV - cylinder: 389 cm³ - number of blades: 3 - clappers: 24 - weight: 340 kg - dim. transport (lxwxh): 284x120x204	€ 7.354,54	€ 8.899
XCA BIO230 H	Ø max. branches: 12 cm - motor: Honda GX630 OHV, elec. start - cylinder: 688 cm³ - blades: 3 - hammers: 24 - weight: 450 kg	€ 10.743,00	€ 12.999
XCA BIO230 H R	Ø max. branches: 12 cm - motor: Honda GX630 OHV, elec. start - cylinder: 688 cm³ - number of blades: 3 - clappers: 24 - weight: 470 kg	€ 11.652,10	€ 14.099
XCA BIO230 H RN	Ø max. branches: 12 cm - motor: Honda GX630 OHV, elec. start - cylinder: 688 cm³ - number of blades: 3 - clappers: 24 - weight: 474 kg	€ 13.470,20	€ 16.299
XCA BIO230 H SN	Ø max. branches: 12 cm - motor: Honda GX690 OHV, elec. start - cylinder: 688 cm³ - number of blades: 3 - clappers: 24 - weight: 472 kg	€ 15.619,00	€ 18.899
XCA BIO235 H RN	Ø max. branches: 12 cm - motor: Honda GX690 OHV, elec. start - cylinder: 688 cm³ - number of blades: 3 - clappers: 24 - weight: 510 kg	€ 17.602,50	€ 21.299
XCA BIO230 H TN	Ø max. branches: 12 cm - motor: Honda GX690 OHV, elec. start - cylinder: 688 cm³ - number of blades: 3 - clappers: 24 - weight: 565 kg	€ 20.825,60	€ 25.199
	Ø max. branches: 15 cm - motor: Honda GX690 OHV, elec. start - cylinder: 688 cm³ -		

XCA CIPPO15 H R	number of blades: 2 - anti-block system: no - weight: 500 kg	€ 21.073,60	€ 25.499
XCA CIPPO15 H RN	Ø max. branches: 15 cm - motor: Honda GX690 OHV, elec. start - cylinder: 688 cm³ - number of blades: 2 - anti-block system: yes - weight: 504 kg	€ 22.891,70	€ 27.699
XCA CP-210 K RN	Ø max. branches: Ø 20 cm - motor: Kohler ECH980, elec. start - cylinder: 999 cm³ - number of blades: 2 - anti-block system: yes - weight: 740 kg - dim. transport (lxwxh): 287x131x190cm	€ 31.404,10	€ 37.999
XCA CP-210 K TN	Ø max. branches: Ø 20 cm - motor: Kohler ECH980, elec. start - cylinder: 999 cm³ - number of blades: 2 - anti-block system: yes - weight: 830 kg - dim. transport (lxwxh): 287x131x190cm	€ 41.321,50	€ 49.999

Commercial use - Diesel engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XCA BIO235 K RN	Ø max. branches: 12 cm - motor: Kohler FOCS Diesel - cylinder: 1028 cm³ - number of blades: 3 - clappers: 24 - weight: 645 kg	€ 21.982,60	€ 26.599
XCA CIPPO15 K RN	Ø max. branches: 15 cm - motor: Kohler FOCS Diesel - cylinder: 1028 cm³ - number of blades: 2 - anti-block system: yes - weight: 725 kg	€ 27.354,50	€ 33.099
XCA BIO235 K TN	Ø max. branches: 12 cm - motor: Kohler FOCS Diesel - cylinder: 1028 cm³ - number of blades: 3 - clappers: 24 - weight: 735 kg	€ 31.156,20	€ 37.699
XCA CP-210 KD RN	Ø max. branches: Ø 20 cm - motor: Kohler KDW 1003, elec. start - cylinder: 1028 cm³ - number of blades: 2 - anti-block system: yes - weight: 740 kg - dim. transport (lxwxh): 287x131x190cm	€ 33.057,00	€ 39.999
XCA CP-210 KD TN	Ø max. branches: Ø 20 cm - motor: Kohler KDW 1003, elec. start - cylinder: 1028 cm³ - number of blades: 2 - anti-block system: yes - weight: 830 kg - dim. transport (lxwxh): 287x131x190cm	€ 42.974,40	€ 51.999

Commercial use - PTO shaft tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XCA BIO190 T	Ø max. branches: 10 cm - drive: tractor - power: 20 - 30 hp - number of blades: 3 - clappers: 24 - weight: 290 kg - dim. transport (lxwxh): 180x95x203	€ 4.875,21	€ 5.899
XCA BIO190 T C	Ø max. branches: 10 cm - drive: tractor - power: 14 - 24 hp - number of blades: 3 - clappers: 24 - weight: 295 kg	€ 5.205,79	€ 6.299
XCA BIO230 T	Ø max. branches: 12 cm - drive: tractor - power: 20 - 30 hp - number of blades: 3 - clappers: 24 - weight: 380 kg	€ 7.271,90	€ 8.799
XCA BIO230 T C	Ø max. branches: 12 cm - drive: tractor - power: 16 - 24 hp - number of blades: 3 - clappers: 24 - weight: 388 kg	€ 7.685,12	€ 9.299
XCA BIO230 T N	Ø max. branches: 12 cm - drive: tractor - power: 20 - 30 hp - blades: 3 - hammers: 24 - weight: 384 kg	€ 9.090,08	€ 10.999
XCA BIO230 TS NC	Ø max. branches: 12 cm - drive: tractor - power: 16 - 24 hp - clappers: 3 - number of blades: 24 - weight: 395 kg	€ 9.751,24	€ 11.799
XCA BIO235 T	Ø max. branches: 12 cm - drive: tractor - power: 30 - 50 hp - number of blades: 3 - clappers: 24 - weight: 405 kg	€ 10.660,30	€ 12.899
XCA BIO235 T N	Ø max. branches: 12 cm - drive: tractor - power: 30 - 50 hp - number of blades: 3 - clappers: 24 - weight: 409 kg - dim. transport (lxwxh): 170x120x200	€ 12.478,50	€ 15.099
XCA CIPPO15 T	Ø max. branches: 15 cm - drive: tractor - power: 40 - 60 hp - number of blades: 2 - anti-block system: no - weight: 400 kg	€ 14.296,70	€ 17.299
XCA CIPPO15 T N	Ø max. branches: 15 cm - drive: tractor - power: 40 - 60 hp - number of blades: 2 - anti-block system: yes - weight: 404 kg	€ 16.144,90	€ 19.535

Industrial use - PTO shaft tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XCA BIO600 T N	Ø max. branches: 15 cm - motor: tractor - power: 50 - 90 hp - blades: 16 - hammers: 16 - weight: 1.150 kg	€ 29.916,50	€ 36.199

Public Services - PTO shaft tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XCA CIPPO25 T N	Ø max. branches: 25 cm - drive: tractor - power: 50 - 90 hp - number of blades: 2 - anti-block system: yes - weight: 850 kg	€ 23.139,70	€ 27.999

Options

Model	Specifications	Price VAT excl.	Price VAT incl.
CA 050001007	Collecting bag - BIO 40/50 model	€ 52,06	€ 63
CA 900246	Spare wheel 145/80 R13	€ 227,11	€ 275
XCA BELT-2.7M	Supplement discharge belt 2,7 m in stead of 2 m, for the models BIO 600	€ 1.652,89	€ 2.000
XCA BIO190-JUMBO	Blower for BIO 190	€ 619,83	€ 750
XCA SPAREWHEEL-CP	Spare wheel 185/70 R13 - for CP-210	€ 239,67	€ 290
XCA TRACS-CP-210	Supplement version with tracs - for CP-210	€ 10.247,90	€ 12.400

Straw and plant shredders

Commercial use - Electric engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XCA TPF15 E	Motor: electric 380 V - 3-phase - power: 11,18 kW - Ø max. branches: 1,5 cm - standard grid: Ø 30 mm - weight: 200 kg	€ 4.627,27	€ 5.599

Commercial use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XCA TPF15 H	Motor: Honda GX630 OHV - cylinder: 688 cm³ - Ø max. branches: 1,5 cm - standard grid: Ø 30 mm - weight: 290 kg	€ 6.941,32	€ 8.399

Commercial use - PTO shaft tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XCA TPF15 T	Drive: tractor - power: 20 - 40 hp - Ø max. branches: 1,5 cm - standard grid: Ø 30 mm - weight: 190 kg	€ 3.718,18	€ 4.499
XCA TPF 8 T	Drive: tractor - power: 25 - 50 hp - branches: 1,5 cm - standard grid: Ø 60 mm - weight: 280 kg	€ 7.685,12	€ 9.299



Forestry & recycling Shredders

Semi-commercial use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XMAS MC900 B	Ø max. branches: 7 cm - motor: Briggs & Stratton XR950 - cylinder: 208 cm³ - number of blades: 3 - dimensions: 66 x 130 x 122 cm - weight: 106 kg - dim. transport (lxwxh): 74x56x70 - dim. transport (lxwxh): 113x62x36	€ 1.900,00	€ 2.299
XMAS MC900 H	Ø max. branches: 7 cm - motor: Honda GX200 OHV - cylinder: 198 cm³ - number of blades: 3 - dimensions: 66 x 130 x 122 cm - weight: 107 kg - dim. transport (lxwxh): 74x56x73 - dim. transport (lxwxh): 113x62x36	€ 2.147,93	€ 2.599



Forestry & recycling

Stumpgrinders

Semi-commercial use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XBEN FR 280 H	Motor: Honda GX270 OHV - cylinder: 270 cm ³ - drive: centrifugal link - wheels: push model - weight: 92 kg	€ 4.875,21	€ 5.899



Forestry & recycling

Forestry winches

Commercial use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XFO VF80 BOLT	Motor: Solo - power: 50,8 cm ³ - max. traction: 815 kg - 1.630 kg - drum speed: 26 m/min - dimensions: 35 x 34 x 25 cm - weight: 10,5 kg	€ 1.652,07	€ 1.999
XFO VF105 RED IRON	Motor: Solo - power: 50,8 cm ³ - max. traction: 1.050 kg - 2.100 kg - drum speed: 26 m/min - dimensions: 35 x 34 x 25 cm - weight: 10,5 kg	€ 1.817,35	€ 2.199
XFO VF150	Motor: Solo - power: 50,8 cm ³ - max. traction: 1.420 kg - 2.840 kg - steel cable: 80 m x ø 5mm - dimensions: 55 x 36 x 36 cm - weight: 23 kg	€ 1.982,65	€ 2.399
XFO VF900-4 NIPPON	Motor: Honda GX50 OHV - power: 50 cm ³ - max. traction: 895 kg - 1.730 kg - drum speed: 14 m/min - dimensions: 35 x 34 x 25 cm - weight: 10,85 kg	€ 1.982,65	€ 2.399
XFO VF150 AUTO	Motor: Solo - power: 50,8 cm ³ - max. traction: 1.420 kg - 2.840 kg - steel cable: 80 m x ø 5 mm - dimensions: 59 x 36 x 36 cm - weight: 28 kg	€ 2.395,87	€ 2.899
XFO VF155	Motor: Solo - power: 50,8 cm ³ - max. traction: 1.485 kg - 2.970 kg - steel cable: 80 m x ø 5mm - dimensions: 55 x 36 x 36 cm - weight: 21,5 kg	€ 2.478,51	€ 2.999
XFO VF150 AUTO-4	Motor: Honda GX50 OHV - power: 50 cm ³ - max. traction: 1.420 kg - 2.840 kg - steel cable: 80 m x ø 5 mm - dimensions: 59 x 36 x 36 cm - weight: 28 kg	€ 2.561,16	€ 3.099
XFO VF155 AUTO	Motor: Solo - power: 50,8 cm ³ - max. traction: 1.485 kg - 2.970 kg - steel cable: 80 m x ø 5 mm - dimensions: 59 x 36 x 36 cm - weight: 25 kg	€ 2.726,45	€ 3.299
XFO VF155 AUTO-4	Motor: Honda GX35 OHV - power: 50 cm ³ - max. traction: 1.260 kg - 2.520 kg - steel cable: 80 m x ø 5 mm - dimensions: 59 x 39 x 36 cm - weight: 25,35 kg	€ 2.891,74	€ 3.499

Options

Model	Specifications	Price VAT excl.	Price VAT incl.
XFO VF-310001	Sling with ring 3000 mm - 2 ton	€ 33,06	€ 40
XFO VF-310002	Sling with ring 4000 mm - 2 ton	€ 41,32	€ 50
XFO VF-310005	Cable with hook ø5 mm - 80m	€ 165,29	€ 200
XFO VF-310007	Choker cable ø10 mm - 2m	€ 90,91	€ 110
XFO VF-310009	Longshoring chain ø7mm - 2.5m	€ 123,97	€ 150
XFO VF-310011	Idler pulley 26KN - 5/6.5	€ 140,50	€ 170
XFO VF-310025	Cable with hook ø6mm - 60m	€ 165,29	€ 200
XFO VF-310026	Back-pack for winch VF-150 and VF-150 AUTO	€ 330,58	€ 400
XFO VF-310048	Back-pack for winch VF80 and VF-105 RED IRON	€ 338,84	€ 410
XFO VF-310085	Wheel cart for winch	€ 231,40	€ 280
XFO VF-310201	Rope with double plait 10 mm rol 100m	€ 190,08	€ 230
XFO VF-310202	Idler pulley 16KN - 10/13	€ 148,76	€ 180
XFO VF-310207	Rope with double plait 12mm 100 meter	€ 247,93	€ 300
XFO VF-310209	Rope 10 mm with hook roll 100m	€ 206,61	€ 250
XFO VF-310210	Hook with safety 1.6ton	€ 16,53	€ 20
XFO VF-310220	Back-pack for rope	€ 115,70	€ 140
XFO VF-310241	Multi-functional slide for winch	€ 371,90	€ 450
XFO VF-310245	Rope 5 mm with hook roll 80 m	€ 305,79	€ 370

Firewood circular saws

Semi-commercial use - Electric engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XFO BSF315 E	Motor: electric 220 V - power: 2.200 W - blades: ø 315 mm - cutting depth: 120 mm - weight: 88 kg	€ 1.321,49	€ 1.599
XFO TT600 E	Motor: electric 220 V - power: 2.200 Watt - blades: ø 600 mm - cutting depth: 290 mm - dimensions: 82 x 124 x 112 cm - weight: 108 kg	€ 1.652,07	€ 1.999

Semi-commercial use - PTO shaft tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XFO TT600 T	Drive: tractor - power: min. 7 hp - blades: ø 600 mm - cutting depth: 290 mm - dimensions: 82 x 124 x 112 cm - weight: 108 kg	€ 1.569,42	€ 1.899

Options

Model	Specifications	Price VAT excl.	Price VAT incl.
XCA CARDAN-80-STD	Cardan shaft PTO 80 cm A2	€ 132,23	€ 160

Woodsplitters

Residential use - Electric engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XFO SF75 XX E	Motor: electric 220 V - power: 2.200 Watt - cleave length: 50 cm - cleave power: 7 ton - dimensions: 60 x 56 x 110 cm - weight: 102 kg	€ 1.404,13	€ 1.699
XFO SF80 XX E	Motor: electric 220 V - power: 2.200 Watt - cleave length: 50 cm - cleave power: 8 ton - dimensions: 72 x 64 x 112 cm - weight: 122 kg	€ 1.817,35	€ 2.199

Semi-commercial use - Electric engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XFO SF100 XX E	Motor: electric 220 V - power: 2.200 Watt - cleave length: 50 cm - cleave power: 8,15 ton - dimensions: 74 x 66 x 114 cm - weight: 154 kg	€ 2.065,29	€ 2.499

Semi-commercial use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XFO SF100 XX B	Motor: LONCIN OHV - cylinder: 210 cm ³ - cleave length: 50 cm - cleave power: 8,15 ton - dimensions: 84 x 66 x 114 cm - weight: 154 kg	€ 2.395,87	€ 2.899

Semi-commercial use - PTO shaft tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XFO SF100 XX T	Drive: tractor - power: min. 25 hp - cleave length: 50 cm - cleave power: 8,15 ton - weight: 84 x 72 x 114 cm - weight: 154 kg	€ 1.982,65	€ 2.399

Commercial use - PTO shaft tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XFO SF110 XX T	Drive: tractor - power: min. 35 hp - cleave length: 50 cm - cleave power: 8,15 ton - dimensions: 98 x 72 x 222 cm - weight: 210 kg	€ 2.478,51	€ 2.999
XFO SF130 XX T	Drive: tractor - power: min. 35 hp - cleave length: 100 cm - cleave power: 13 ton - dimensions: 110 x 95 x 265 cm - weight: 300 kg	€ 3.278,84	€ 3.967
XFO SF180 XX T	Motor: tractor - power: min. 40 hp - cleave length: 100 cm - cleave power: 18 Ton - dimensions: 110 x 95 x 265 cm - weight: 310 kg	€ 3.304,96	€ 3.999
XFO SF180 XX TE	Drive: tractor / 220 V - power: min. 40 hp - cleave length: 100 cm - cleave power: 18 / 16 ton - dimensions: 110 x 95 x 265 cm - weight: 320 kg	€ 3.883,47	€ 4.699



Forestry & recycling

Firewood circular saws

Residential use - Electric engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XCUT BSG315 E	Motor: electric 220 V - power: 2.000 W - blades: ø 315 mm - cutting depth: 85 mm - dimensions: 99 x 61 x 107 cm - weight: 53 kg	€ 495,04	€ 599

Woodsplitters

Residential use - Electric engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XCUT SOG650 E	Motor: electric 220 V - power: 2.200 Watt - cleave length: 39 cm - cleave power: 6,5 ton - weight: 73 kg	€ 660,33	€ 799
XCUT SVG690 E	Motor: electric 220 V - power: 2.200 Watt - cleave length: 50 cm - cleave power: 6,9 ton - dimensions: 70 x 64 x 112 cm - weight: 94 kg	€ 825,62	€ 999
XCUT SVG700 E	Motor: electric 220 V - power: 2.200 Watt - cleave length: 50 cm - cleave power: 7 ton - dimensions: 70 x 65 x 112 cm - weight: 120 kg	€ 990,91	€ 1.199

Residential use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XCUT SVG750 POWER	Motor: Loncin OHV - cylinder: 196 cm³ - cleave length: 50 cm - cleave power: 8 ton - dimensions: 85 x 75 x 112 cm - weight: 122 kg	€ 1.569,42	€ 1.899

Semi-commercial use - Electric engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XCUT SVG1000 E	Motor: electric 220 V - power: 2.200 Watt - cleave length: 50 cm - cleave power: 8,15 ton - dimensions: 72 x 66 x 118 cm - weight: 162 kg	€ 1.652,07	€ 1.999

Semi-commercial use - PTO shaft tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XCUT SVG1400 T	Drive: tractor - power: min. 25 hp - cleave length: 96 cm - cleave power: 14 ton - dimensions: 110 x 95 x 247 cm - weight: 254 kg	€ 1.900,00	€ 2.299



Forestry & recycling

Industrial shredders

Industrial use - Diesel engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XCAI BIO930 I175TD	Ø max. branches: 40 cm - motor: Iveco AIFO N67M Turbo Diesel - power: 175 hp - number of hammers: 22 - number of feed rollers: 1 - weight: 7.250 kg	€ 112.314,00	€ 135.900
XCAI BIO930 I238TD	Ø max. branches: 40 cm - motor: Iveco AIFO N67E Turbo Diesel - power: 238 hp - number of hammers: 22 - number of feed rollers: 1 - weight: 7.950 kg	€ 127.190,00	€ 153.900
	Ø max. branches: 50 cm - motor: Iveco AIFO C87E Turbo Diesel - power: 353 hp -		

XCAI BIO1250 I353T	number of hammers: 44 - number of feed rollers: 2 - weight: 12.800 kg	€ 182.562,00	€ 220.900
XCAI BIO1250 I429T	Ø max. branches: 50 cm - motor: Iveco AIFO C10E Turbo Diesel - power: 429 hp - number of hammers: 44 - number of feed rollers: 2 - weight: 13.000 kg	€ 197.107,00	€ 238.499

Industrial use - PTO shaft tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XCAI BIO930 T	Ø max. branches: 40 cm - drive: tractor - power: 140 - 200 hp - number of hammers: 22 - number of feed rollers: 1 - weight: 5.000 kg	€ 75.950,40	€ 91.900
XCAI BIO1250 T	Ø max. branches: 50 cm - motor: tractor - power: 180 - 200 hp - number of hammers: 44 - number of feed rollers: 2 - weight: 8.100 kg	€ 104.876,00	€ 126.900

Options

Model	Specifications	Price VAT excl.	Price VAT incl.
XCAI BELT-3.5M	Unloading belt 3,5 m (height from the ground 2,8 m), for the models BIO 930 and BIO 1250	€ 16.528,90	€ 20.000
XCAI BELT-3M	Unloading belt 3 m (height from the ground 2.5 m), for the models BIO 930 and BIO 1250	€ 13.223,10	€ 16.000
XCAI CAR-SP-REMOTE	Self-propelled trailer with remote	€ 7.355,37	€ 8.900
XCAI CAR2W-B1250	Trailer 2 wheels 25 km/h - brake	€ 5.785,12	€ 7.000
XCAI CAR2W-B930	Trailer 2 wheels 25 km/h - brake	€ 5.785,12	€ 7.000
XCAI CAR4W-B930	Trailer 4 wheels 40km/h - brake	€ 11.983,50	€ 14.500
XCAI CRANE-300KG	Loading crane 300 kg, with grab arm up to 3 m, for the models BIO 930 and BIO 1250	€ 39.586,80	€ 47.900
XCAI GREASE-B1250	Supplement for automatic central greasement	€ 3.719,01	€ 4.500
XCAI GREASE-B930	Supplement for manual central greasement	€ 3.719,01	€ 4.500
XCAI MAGNET-B930	Magnetic rol on discharge belt	€ 6.694,21	€ 8.100
XCAI REM CONT.AUGE	Hydraulic auger under rotor	€ 5.950,41	€ 7.200
XCAI REM-B930/1250	Trailer 2 wheels 25 km/h - only hand brake	€ 3.471,07	€ 4.200
XCAI REMOTE-CONT.	Radio remote control, for the models BIO 930 and BIO 1250	€ 4.049,59	€ 4.900
XCAI SCREEN-B1250	Grate or sieve for BIO 1250	€ 3.140,50	€ 3.800
XCAI SCREEN-B930	Grate or sieve for BIO 930	€ 3.140,50	€ 3.800
XCAI WIDEA-B1250	Supplement "Widea" hamers 44 pieces	€ 5.785,12	€ 7.000
XCAI WIDEA-B930	Supplement "Widea" hamers 22 pieces	€ 2.892,56	€ 3.500

Hammermills

Commercial use - PTO shaft tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XCAI M 120 T	Drive: tractor - power: min. 75 hp - : 50 cm - hammers: 120 - weight: n/a	€ 15.281,00	€ 18.490

Screeners

Industrial use - Electric engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XCAI VAGLIO 1500 E	Volume hopper: 3 m³ - 250 x 180 cm - motor: electric 380 V - 3F - power: 22 kW - dim. drum sieve: ø 1.600 mm x (L) 1.500 mm - unloading belts: (1) 200 cm - (2) 300 cm - weight: 3.900 kg	€ 79.752,10	€ 96.500

Industrial use - Diesel engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XCAI VAGLIO 1500 D	Volume hopper: 3 m³ - 250 x 180 cm - motor: Kohler KDW 1603 Diesel - power: 40 hp - dim. drum sieve: ø 1.600 mm x (L) 1.500 mm - unloading belts: (1) 200 cm - (2) 300 cm - weight: 4.000 kg	€ 88.843,00	€ 107.500
XCAI VAGLIO 3000 D	Volume hopper: 3 m³ - 250 x 180 cm - motor: Iveco F32 Diesel - power: 75 hp - dim. drum sieve: ø 1.600 mm x (L) 3.000 mm - unloading belts: (1) 300 cm - (2) 300 cm - weight: 7.500 kg	€ 107.851,00	€ 130.500
XCAI VAGLIO 5000 D	Volume: 6 m³ - 260 x 250 cm - motor: Iveco F32 Diesel - power: 83 hp - dim. drum sieve: ø 1.600 mm x (L) 4.500 mm - unloading belts: (1) 300 cm - (2) 300 cm - weight: 9.900 kg	€ 173.058,00	€ 209.400

Compost turners

Industrial use - Diesel engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XCAI RIVO 280 D	Motor: Iveco Diesel - power: 83 hp - working width: 280 x 140 cm - dim. tunnel (lxwxh): 250 x1 20 cm - dim. transport (lxwxh): 3.80 x 1.9 x 2.55 m - weight: 2.500 kg	€ 92.479,30	€ 111.900

Industrial use - PTO shaft tractor

Model	Specifications	Price VAT excl.	Price VAT incl.
XCAI RIVO 280 T	Drive: tractor - power: 60-120 hp - working width: 280 x 140 cm - dim. tunnel (lxwxh): 250 x 120 cm - dim. transport (lxwxh): 4.22 x 1.68 x 3.3 m - weight: 1.500 kg	€ 42.562,00	€ 51.500