HUSTLER

Zero Turn Mowers
Zeroturn garden tractors

Petrol engine - Residential use

XHU DASH XD 42"










Model	XHU DASH XD 42"
Price VAT incl.	**€ 7.299**
Price VAT excl.	€ 6.032,23
Cutting Width	107 cm
Motor	Kawasaki FR541 V-Twin OHV, elec. start
Cylinder	603 cm³
Drive	Var. 0 - 9,6 km/h
Mowing Height	38 - 114 mm
Weight	210 kg

Kawasaki FR541 2-cylinder OHV, elec. start
Displacement 603 cm³
Cutting width 107 cm
Mowing height adjustable between 38 - 114 mm
Maintenance-free Hydro-Gear ZT1800
Variable speed 0 - 9,6 km/h
Front wheels 11 x 4"
Rear wheels 18 x 8.5 - 8" BigBite?
Weight 210 kg

7,56 liter fuel tank
Working width 110 cm
Fully-welded steel carrier frame
Protective plate for the motor
Swivel wheels with sealed ball bearings
Mulching mowing deck with sidedischarge for mowing long grass

XHU DASH XD 48"









Model	XHU DASH XD 48"
Price VAT incl.	**€ 7.599**
Price VAT excl.	€ 6.280,17
Cutting Width	122 cm
Motor	Kawasaki FR600 V-Twin OHV, elec. start
Cylinder	603 cm³
Drive	Var. 0 - 9,6 km/h
Mowing Height	38 - 114 mm
Weight	221 kg
Dim. Transport (LxWxH)	200x150x84

Kawasaki FR600 2-cylinder OHV, elec. start
Displacement 603 cm³
Cutting width 122 cm
Mulching side-discharge for mowing long grass
Maintenance-free Hydro-Gear ZT1800
Variable speed 0 - 9,6 km/h
Front wheels 11 x 5"
Rear wheels 18 x 8.5 - 8" BigBite?
Weight 221 kg

7,56 liter fuel tank
Working width 125 cm
Fully-welded steel carrier frame
Protective plate for the motor
Swivel wheels with sealed ball bearings

XHU RAPTOR X 42"










Model	XHU RAPTOR X 42"
Price VAT incl.	**€ 7.999**
Price VAT excl.	€ 6.610,74
Cutting Width	107 cm
Motor	Kawasaki FR651 - V-Twin OHV, elec. start
Cylinder	726 cm³
Drive	Var. 0 - 11,3 km/h
Mowing Height	38 - 114 mm
Weight	243 kg

Kawasaki FR651 2-cylinder OHV, elec. start
Displacement 726 cm³
Cutting width 107 cm
Mowing height adjustable between 38 - 114 mm
Maintenance-free Hydro-Gear ZT2200
Variable speed 0 - 11,3 km/h
Front wheels 11 x 5"
Rear wheels 18 x 8.5 - 8" BigBite?
Weight 243 kg

11,3 liter fuel tank
Working width 115 cm
Fully-welded steel carrier frame
Protective plate for the motor
Swivel wheels with sealed ball bearings
Mulching mowing deck with side-discharge for mowing long grass

XHU RAPTOR X 54"













Model	XHU RAPTOR X 54"
Price VAT incl.	**€ 8.999**
Price VAT excl.	€ 7.437,19
Cutting Width	137 cm
Motor	Kawasaki FR691 - V-Twin OHV, elec. start
Cylinder	726 cm³
Drive	Var. 0 - 11,3 km/h
Mowing Height	38 - 114 mm
Weight	255 kg

Kawasaki FR691 2-cylinder OHV, elec. start
Displacement 726 cm³
Cutting width 137 cm
Mulching deck with side-discharge for long grass
Maintenance-free Hydro-Gear ZT2200
Variable speed 0 - 11,3 km/h
Front wheels 11 x 6"
Rear wheels 18 x 10.5 - 8" BigBite?
Weight 255 kg

11,3 liter fuel tank
Working width 148 cm
Fully-welded steel carrier frame
Protective plate for the motor
Swivel wheels with sealed ball bearings

XHU RAPTOR XD 42"









Model	XHU RAPTOR XD 42"
Price VAT incl.	**€ 8.999**
Price VAT excl.	€ 7.437,19
Cutting Width	107 cm
Motor	Kawasaki FR651 - V-Twin OHV, elec. start
Cylinder	726 cm³
Drive	Var. 0 - 12 km/h
Mowing Height	38 - 114 mm
Weight	276 kg
Dim. Transport (LxWxH)	180x120x85

Kawasaki FR651 2-cylinder OHV, elec. start
Discplacement 726 cm3
Cutting width 107 cm, mowing deck with 2 blades
Mulching and side discharge
Maintenance-free Hydro-Gear ZT2800
Variable speed 0 - 12 km/h
Front wheels 13 x 5"
Rear wheels 20 x 8 - 10" BigBite?
Weight 276 kg

11.3 liter fuel tank
Mowing height-adjustable between 38 - 114 mm
Working width 118 cm
Protective plate for the motor
Swivel wheels with sealed ball bearings

XHU RAPTOR XD 48"















Model	XHU RAPTOR XD 48"
Price VAT incl.	**€ 9.499**
Price VAT excl.	€ 7.850,41
Cutting Width	122 cm
Motor	Kawasaki FR691 - V-Twin OHV, elec. start
Cylinder	726 cm³
Drive	Var. 0 - 12 km/h
Mowing Height	38 - 114 mm
Weight	284 kg
Dim. Transport (LxWxH)	200x150x84

Kawasaki FR691 2-cylinder OHV, elec. start
Displacement 726 cm3
Cutting width 122 cm, mowing deck with 3 blades
Mulching and side discharge
Maintenance-free Hydro-Gear ZT2800
Variable speed 0 - 12 km/h
Front wheels 13 x 6.5"
Rear wheels 20 x 8 - 10" BigBite?
Weight 284 kg

11.3 liter fuel tank
Mowing height-adjustable between 38 - 114 mm
Working width 133 cm
Protective plate for the motor
Swivel wheels with sealed ball bearings

XHU RAPTOR XDX 54"









Model	XHU RAPTOR XDX 54"
Price VAT incl.	**€ 10.999**
Price VAT excl.	€ 9.090,08
Cutting Width	137 cm
Motor	Kawasaki FR691 - V-Twin OHV, elec. start
Cylinder	726 cm³
Drive	Var. 0 - 13 km/h
Mowing Height	38 - 114 mm
Weight	307 kg
Dim. Transport (LxWxH)	200x145x125

Kawasaki FR691 2-cylinder OHV, elec. start
Displacement 726 cm3

Cutting width 137 cm, mowing deck with 2 blades
Mulching and side discharge
Hydro-Gear ZT3100 hydrostatic
Variable speed 0 - 13 km/h

Front wheels 13 x 6.5"
Rear wheels 22 x 11 - 10" BigBite?
Weight 307 kg

Fully-welded steel carrier frame
11.3 liter fuel tank
Mowing height-adjustable between 38 - 114 mm
Working width 144 cm
Protective plate for the motor
Swivel wheels with sealed ball bearings

XHU RAPTOR XDX 60"













Model	XHU RAPTOR XDX 60"
Price VAT incl.	**€ 11.999**
Price VAT excl.	€ 9.916,53
Cutting Width	152 cm
Motor	Kawasaki FR730 - V-Twin OHV, elec. start
Cylinder	726 cm³
Drive	Var. 0 - 13 km/h
Mowing Height	38 - 114 mm
Weight	321 kg

Kawasaki FR730 2-cylinder OHV, elec. start
Displacement 726 cm³
Cutting width 152 cm
Mulching and side discharge
Hydro-Gear ZT3100 hydrostatic
Variable speed 0 - 13 km/h
Front wheels 13 x 6.5"
Rear wheels 22 x 11 - 10" BigBite?
Weight 321 kg

11.3 liter fuel tank
Working width 158 cm
Foot-operated mowing deck lift with a compression spring for easy height adjustment
Protective plate for the motor
Swivel wheels with sealed ball bearings

XHU FASTRAK 48"











Model	XHU FASTRAK 48"
Price VAT incl.	**€ 14.499**
Price VAT excl.	€ 11.982,60
Cutting Width	122 cm
Motor	Kawasaki FT691 - V-Twin OHV, elec. start
Cylinder	726 cm³
Drive	Var. 0 - 13 km/h
Mowing Height	38 - 114 mm
Weight	378 kg
Dim. Transport (LxWxH)	200x145x125

Kawasaki FT691 2-cylinder OHV, elec. start
Displacement 726 cm³
Cutting width 122 cm
Hydro-Gear ZT-3200 hydrostatic
Variable speed 0 - 13 km/h
Working width 132 cm

Front wheels 13 x 5.0 - 6"
Rear wheels 23 x 9.5 - 10" BigBite?
Weight 378 kg

Professional Kawasaki FT series motor with "Vortical Air Filtration" filtering system
18.9 liter fuel tank
Very robust with fully-welded steel carrier frame
Patented automatic parking brake
Maintenance free Dual Hydrostatic ZT-3200 hydrostatic
Foot-operated mowing deck lift with a compression spring for easy height adjustment

XHU FASTRAK SDX 48









Model	XHU FASTRAK SDX 48
Price VAT incl.	**€ 15.899**
Price VAT excl.	€ 13.139,70
Mower deck	122 cm
Motor	Kawasaki FX691 - V-Twin OHV
Power	726 cc, elec. start
Drive	Var. 0 - 14,5 km/h
Mowing Height	25 - 114 mm
Weight	380 kg
Dim. Transport (LxWxH)	200x145x125

Kawasaki FR691 2-cylinder OHV, elec. start
Cylinder capacity 726 cm³
Cutting width 122 cm
Deck with 3 blades, mulching and side discharge
Roll bar for extra protection included
Dual Hydro-Gear ZT 3400, hydrostatic
Front wheels 13 x 5.0 - 6"
Rear wheels 22 x 9.5 - 10"
Weight 380 kg

18.9 liter fuel tank
Working width 127 cm
Very robust with fully-welded steel carrier frame
Maintenance-free Dual Hydro-Gear ZT 3400 hydrostatic

XHU FASTRAK SDX 54









Model	XHU FASTRAK SDX 54
Price VAT incl.	**€ 15.999**
Price VAT excl.	€ 13.222,30
Mower deck	137 cm
Motor	Kawasaki FX691 - V-Twin OHV
Power	726 cc, elec. start
Drive	Var. 0 - 14,5 km/h
Mowing Height	25 - 114 mm
Weight	392 kg
Dim. Transport (LxWxH)	200x146x126

Kawasaki FR691 2-cylinder OHV, elec. start
Cylinder capacity 726 cm3

Cutting width 137 cm
Mowing deck with 3 blades, mulching and side discharge
Dual Hydrostatic ZT 3400 hydrostatic
Variable speed 0 - 14,5 km/u
Front wheels 13 x 6.5 - 6"
Rear wheels 23 x 11 - 10"

Working width 140 cm
Weight 392 kg

18.9 liter fuel tank
Very robust with fully-welded steel carrier frame
Maintenance-free Dual Hydro-Gear ZT 3400 hydrostatic

XHU FASTRAK SDX 60









Model	XHU FASTRAK SDX 60
Price VAT incl.	**€ 16.999**
Price VAT excl.	€ 14.048,80
Cutting Width	152 cm
Motor	Kawasaki FX730 - V-Twin OHV, elec. start
Cylinder	726 cm³
Drive	Var. 0 - 14,5 km/h
Mowing Height	38 - 114 mm
Weight	415 kg
Dim. Transport (LxWxH)	230x164x128

Kawasaki FX730 2-cylinder OHV, elec. start
Displacement 726 cm³
Cutting width 152 cm
Mowing deck with 3 blades, mulching and side discharge

Hydro-Gear ZT-3400 hydrostatic
Variable speed 0 - 14,5 km/u
Front wheels 13 x 6.5 - 6"
Rear wheels 23 x 11 - 10" BigBite?
Weight 415 kg

Including roll bar for extra safety
Mowing height-adjustable between 38 - 114 mm

Working width 162 cm

18.9 liter fuel tank

FASTRAK SDX
Very robust with fully-welded steel carrier frame
Maintenance-free Dual Hydro-Gear ZT 3400 hydrostatic
Foot-operated mowing deck lift with a compression spring for easy height adjustment

XHU SUPER 104"













Model	XHU SUPER 104"
Price VAT incl.	**€ 45.999**
Price VAT excl.	€ 38.015,70
Cutting Width	264 cm
Motor	Kawasaki FX1000 - V-Twin OHV, elec. start
Cylinder	999 cm³
Drive	Var. 0 - 13 km/h
Mowing Height	26 - 140 mm
Weight	1.134 kg

Kawasaki FX10000 2-cylinder OHV, elec. start
Cylinder capacity 999 cm³
Cutting width 264 cm
Hydro-Gear HyperDrive hydrostatic
Variable speed 0 - 13 km/h
Front wheels 15 x 6.0 - 6"
Rear wheels 26 x 12 - 12" BigBite
Working width 204 cm
Weight 1.134 kg

45.4 liter fuel tank

XHU TRIMSTAR 36"











Model	XHU TRIMSTAR 36"
Price VAT incl.	**€ 11.799**
Price VAT excl.	€ 9.751,24
Cutting Width	92 cm
Motor	Kawasaki FS541 OHV, manual start
Cylinder	603 cm³
Drive	Var. 0 - 10 km/h
Mowing Height	31 - 114 mm
Weight	264 kg
Dim. Transport (LxWxH)	180x118x89

Kawasaki FS541 2-cylinder OHV engine
Displacement 603 cm³
Cutting width 92 cm, mulching and side discharge
Dual Hydro-Gear ZT 2800 hydrostaticVariable speed 0-10 km/h

Front wheels 11 x 4 - 4"
Rear wheels 18 x 6.5 - 8"
Adjustable cutting height 31 - 114 mm
Total width 96 cm

Weight 264 kg
Patented H-Bar control system
Most user-friendly and easy control system on the market. Now with cruise control.

XHU TRIMSTAR 48"











Model	XHU TRIMSTAR 48"
Price VAT incl.	**€ 12.199**
Price VAT excl.	€ 10.081,80
Cutting Width	122 cm
Motor	Kawasaki FS600 OHV, manual start
Cylinder	603 cm³
Drive	0 - 10 km/h
Mowing Height	31 - 114 mm
Weight	270 kg
Dim. Transport (LxWxH)	200x128x85

Kawasaki FS600 2-cylinder OHV engine
Cylinder capacity 603 cm³
Cutting width 122 cm
Mowing deck with 3 blades, mulching and side discharge
Dual Hydro-Gear ZT 2800 hydrostatic
Variable speed 0 - 10 km/h
Front wheels 11 x 4 - 4"
Rear wheels 20 x 10 - 10"
Weight 270 kg
Total width 128 cm
Adjustable cutting height 31 - 114 mm
Blade hubs with double ball-bearings, 500 working hours between greasing
Patented H-Bar control system
Most user-friendly and easy control system on the market
Now with cruise control

XHU SUPER S 36" RD











Model	XHU SUPER S 36" RD
Price VAT incl.	**€ 19.499**
Price VAT excl.	€ 16.114,90
Cutting Width	92 cm
Motor	Kawasaki FS541 OHV, manual start
Cylinder	603 cm³
Drive	Var. 0-12,9 km/h
Mowing Height	38 - 139 mm
Weight	412 kg

Kawasaki FS541 2-cylinder OHV, elec. start
Displacement 603 cm³
Cutting width 92 cm, mulching and rear discharge
Adjustable cutting height 38 - 139 mm
Dual Hydro-Gear 10 cc hydrostatic
Variable speed 0 - 12,9 km/h
Front wheels 11 x- 4"
Rear wheels 18 x 8.5 - 10"
Weight 412 kg

Total width 96 cm
Parker TL0195 wheel motors
Exclusive SmoothTrakTM steering

XHU SUPER S 48" RD













Model	XHU SUPER S 48" RD
Price VAT incl.	**€ 20.999**
Price VAT excl.	€ 17.354,50
Cutting Width	122 cm
Motor	Kawasaki FX691 OHV, manual start
Cylinder	726 cm³
Drive	Var. 0 - 14,4 km/h
Mowing Height	38 - 139 mm
Weight	471 kg

Kawasaki FX691 2-cylinder OHV, elec. start
Displacement 726 cm³
Cutting width 122 cm, mulching and rear discharge
Adjustable cutting height 38 - 139 mm
Dual Hydro-Gear 12 cc hydrostatic
Variable speed 0 - 14,4 km/h
Front wheels 13 x- 5"
Rear wheels 20 x 10 - 10"
Weight 471 kg

Total width 128 cm
Parker TL0240 wheel motors
Exclusive SmoothTrakTM steering