Petrol engine - Semi-commercial use

XLP 74 SWITCH H









Model	XLP 74 SWITCH H
Price VAT incl.	**€ 1.699**
Price VAT excl.	€ 1.404,13
Base machine	74 SWITCH
Motor	Honda GCVx170 OHC
Cylinder	167 cm³
Gears	3 forwards
Working width	70 cm
Weight	40 kg

Honda GCVx170 OHC engine, displacement 167 cm³
Basic machine without accessories
Variable gears, 3 forward
Collapsible handlebar with 3 height positions
Basic machine, various accessories in option!
- FAK-A70 - Sweeper 70 cm
- FAW-A65 - Weed brush 50 cm
Weight 40 kg

Battery - Commercial use

XWES E-LECTRIC















Model	XWES E-LECTRIC
Price VAT incl.	**€ 5.499**
Price VAT excl.	€ 4.544,63
Drive	Electric 48 V (4x 12 V) - 80 Ah
Power	1.100 Watt (1.1 kW)
Autonomy	Ca. 120 min.
PDF attachement	Yes, electric
Working width	800 mm
Weight	250 kg

Drive by means of 48 V DC motor
Power 1.100 W (1,1 kW)
Battery 48 V (4 x 12V) - 80 Ah
Includes automatic battery charger
Autonomy up to 90 min
Forward speed 8 km/h, reverse 5 km/h
Working width 800 mm
Dim. (LxWxH): 1800 x 770 x 1070 mm
Weight 250 kg

Wheels 16 x 6.50 - 8"
Galvanized frame 5 mm
Lifting the attachments by means of foot pedal
High maneuverability thanks to the steering of the rear axle
Basic machine, various accessories available as options!

XWES E-LECTRIC+































Model	XWES E-LECTRIC+
Price VAT incl.	**€ 7.999**
Price VAT excl.	€ 6.610,74
Drive	Electric 48 V (4x 12 V) - 80 Ah
Power	1.100 Watt (1.1 kW)
Autonomy	Ca. 120 min.
PDF attachement	Yes, electric
Working width	800 mm
Weight	270 kg

Drive by means of 48 V DC motor
Power 1.100 W (1,1 kW)
Battery 48 V (4 x 12V) - 80 Ah
Includes automatic battery charger
Autonomy up to 90 min
Forward speed 8 km/h, reverse 5 km/h
Working width 800 mm
Dim. (LxWxH): 1800 x 770 x 1070 mm
Weight 270 kg

Wheels 16 x 6.50 - 8"
Galvanized frame 5 mm
Electric lifting device for lifting the attachments, with float position
High maneuverability thanks to the steering of the rear axle
Basic machine, various accessories available as options!

XWES CM 2 BASIC H5











Model	XWES CM 2 BASIC H5
Price VAT incl.	**€ 3.999**
Price VAT excl.	€ 3.304,96
Motor	Honda GXV160 OHV
Cylinder	163 cm³
PDF attachement	No
Working width	800 mm
Weight	200 kg

VERSION WITHOUT HYDRAULICS
Professional Honda GXV160 OHV engine, manual start, displacement 163 cm³
Hydrostatic drive, 6 km/h
Rear wheel steering
Working width 800 mm
Wheels 16 x 6.50 - 8 "
Dim. (LxWxH): 1800 x 770 x 1070 mm
Weight 200 kg

Frame 5 mm galvanized
Lifting the attachments by means of foot control
Easy to use by any user, extremely manoeuvrable and multifunctional
Basic machine, various accessories available as options!

XWES CM 2 BAS.H13E













Model	XWES CM 2 BAS.H13E
Price VAT incl.	**€ 4.899**
Price VAT excl.	€ 4.048,76
Motor	Honda GXV390 OHV
Cylinder	389 cm³
PDF attachement	No
Working width	800 mm
Weight	225 kg

VERSION WITHOUT HYDRAULICS
Professional Honda GXV390 OHV engine, electric start, displacement 389 cm³
Hydrostatic drive, 6 km/h
Rear wheel steering
Working width 800 mm
Wheels 16 x 6.50 - 8 "
Dim. (LxWxH): 1800 x 770 x 1070 mm
Weight 225 kg

Frame 5 mm galvanized
Lifting the attachments by means of foot control
High maneuverability thanks to the steering of the rear axle
Basic machine, various accessories available as options!

XWES CM 2 PRO H















Model	XWES CM 2 PRO H
Price VAT incl.	**€ 5.999**
Price VAT excl.	€ 4.957,85
Motor	Honda GXV390 OHV
Cylinder	389 cm³
PDF attachement	No
Working width	800 mm
Weight	250 kg

VERSION WITHOUT HYDRAULICS
Professional Honda GXV390 OHV engine,
electric start, displacement 389 cm³
Hydrostatic drive, 6 km/h
Rear wheel steering
Working width 800 mm
Wheels 16 x 6.50 - 8 "
Dim. (LxWxH): 1800 x 770 x 1070 mm
Weight 250 kg

Frame 5 mm galvanized
Lifting the attachments by means of foot control
High maneuverability thanks to the steering of the rear axle
Basic machine, various accessories available as options!

XWES CM 2 PRO+ H















Model	XWES CM 2 PRO+ H
Price VAT incl.	**€ 8.599**
Price VAT excl.	€ 7.106,61
Motor	Honda GXV390 OHV
Cylinder	389 cm³
PDF attachement	Hydraulic - 18 l/min
Working width	825 mm
Weight	300 kg

VERSION WITH HYDRAULICS AND LIFTING DEVICE
Professional Honda GXV390 OHV engine, electrically started
Cylinder capacity 389 cm3
Hydrostatic drive, 10 km/h
Rear wheel steering, extremely manoeuvrable
Hydraulics for accessories
Hydraulic power: 18 liters/min
Working width 825 mm
Weight 300 kg


Wheels 16 x 6.50 - 8"
Hydraulic lifting device for lifting the attachments, with float position
Frame 5 mm galvanized
Dim. (LxWxH): 1500 x 825 x 1130 mm
High maneuverability thanks to the steering of the rear axle
Basic machine, various accessories available as options!

XWES 101084



Model	XWES 101084
Price VAT incl.	**€ 520**
Price VAT excl.	€ 429,75
Base machine	CM PRO
Product type	ASS 900
Connection	Mechanical
Working width	900 mm
Weight	28 kg


Manure scraper ASS 900 with quick coupling system
Working width 900 mm
Available for the CM PRO H model
Weight 28 kg





XWES 100914









Model	XWES 100914
Price VAT incl.	**€ 540**
Price VAT excl.	€ 446,28
Base machine	CM 2 E / BASIC / HYDRO
Product type	ASS 900
Connection	Mechanical
Working width	900 mm
Weight	28 kg

Manure scraper ASS 900 with quick coupling system
Working width 900 mm
Available for the CM 2 BASIC H
Weight 28 kg

XWES 101044











Model	XWES 101044
Price VAT incl.	**€ 620**
Price VAT excl.	€ 512,40
Base machine	CM 2 PRO / E-Lectric / Hylectric
Product type	ASS 900
Connection	Mechanical
Working width	900 mm
Weight	28 kg
Dim. Transport (LxWxH)	120X88X80

Manure scraper ASS 900 with quick coupling system
Working width 900 mm
Available for the CM 2 PRO, E-Lectric and Hylectric models
Weight 28 kg

XWES 100901





Model	XWES 100901
Price VAT incl.	**€ 730**
Price VAT excl.	€ 603,31
Base machine	CM 2 HYDRO
Product type	R 900
Connection	machine
Working width	Poly (PPN)
Working width	900 mm
Weight	25 kg

Radial brush R 900 with quick coupling system
Working width 900 mm, poly (PPN) brush
Available on both CM 2 HYDRO models
Weight 25 kg

XWES 100971







Model	XWES 100971
Price VAT incl.	**€ 900**
Price VAT excl.	€ 743,80
Base machine	CM 2
Product type	PS 80 - 160
Connection	Mechanical
Working width	800 - 1600 mm
Weight	28 kg

Pushing shield, adjustable 80 - 160 cm
With quick coupling system
Available for the CM 2 ELECTRIC, CM 2 BASIC H
and CM 2 HYDRO models
Weight 28 kg

XWES 101047









Model	XWES 101047
Price VAT incl.	**€ 960**
Price VAT excl.	€ 793,39
Base machine	CM 2 PRO
Product type	PS 80 - 160
Connection	Mechanical
Working width	800 - 1600 mm
Weight	28 kg

Pushing shield, adjustable 80 - 160 cm
With quick coupling system
Available for the CM 2 PRO
Weight 28 Kg

XWES 101039





Model	XWES 101039
Price VAT incl.	**€ 1.200**
Price VAT excl.	€ 991,74
Base machine	CM 2 PRO
Product type	R 1000
Connection	machine
Type brush	Poly (PPN)
Working width	1000 mm
Weight	30 kg

Radial brush R 1000 with quick coupling system
Working width 1000 mm, poly (PPN) brush
Available on both CM 2 PRO models
Weight 30 kg

XWES 101054





Model	XWES 101054
Price VAT incl.	**€ 1.270**
Price VAT excl.	€ 1.049,59
Base machine	CM 2
Product type	1600er - H
Connection	machine
Working width	1600 mm
Weight	20 kg

Snow or feed scraper, adjustable left and right
With quick coupling system
Working width 1600 mm
Available for the CM 2 PRO
Hydraulical swing
Weight 20 Kg

XWES 101089



Model	XWES 101089
Price VAT incl.	**€ 1.290**
Price VAT excl.	€ 1.066,12
Base machine	E-Lectric / Hylectric
Product type	R 1000-E
Connection	Electric
Type brush	Poly (PPN)
Working width	1000 mm
Weight	25 kg

Radial brush R 1000-E with quick coupling system
Working width 1000 mm, poly (PPN) brush
Available for models E-Lectric and Hylectric
Weight 25 Kg











XWES 101079



Model	XWES 101079
Price VAT incl.	**€ 1.330**
Price VAT excl.	€ 1.099,17
Base machine	CM 2 PRO
Connection	machine
Content	115
Working width	800 mm
Weight	25 kg

Front loading bucket for light materials
Working width 800 mm - capacity 115 liters
Available on CM 2 PRO models with hydraulics
Weight 25 kg

XWES 101040



Model	XWES 101040
Price VAT incl.	**€ 1.360**
Price VAT excl.	€ 1.123,97
Base machine	CM 2 PRO
Product type	R 1000
Connection	machine
Type brush	Steel
Working width	1000 mm
Weight	30 kg

Radial brush R 1000 with quick coupling system
Working width 1000 mm, wire brush
WES 101038 required
Available on both CM 2 PRO models
Weight 30 Kg





XWES 101043



Model	XWES 101043
Price VAT incl.	**€ 1.360**
Price VAT excl.	€ 1.123,97
Base machine	CM 2 PRO
Product type	WKB 550
Connection	machine
Type brush	Steel
Working width	550 mm
Weight	25 kg

Side weed brush, adjustable left and right
Working width 550 mm, wire brush
WES 101038 required
Available on both CM 2 PRO models
Weight 25 Kg



XWES 101033



Model	XWES 101033
Price VAT incl.	**€ 2.010**
Price VAT excl.	€ 1.661,16
Base machine	CM 2 PRO
Product type	FA 800
Connection	machine
Working width	800 mm
Weight	40 kg

Food auger FA 800 with quick coupling system
Working width 800 mm
Available for the CM 2 PRO models
Weigt 40 Kg





XWES 101091







Model	XWES 101091
Price VAT incl.	**€ 2.150**
Price VAT excl.	€ 1.776,86
Base machine	E-Lectric / Hylectric
Product type	FA 800
Connection	Electric
Working width	800 mm
Weight	40 kg

Food auger FA 800 with quick coupling system
Working width 800 mm
Available for the E-Lectric and Hylectric models
Weight 40 Kg

XWES 101093



Model	XWES 101093
Price VAT incl.	**€ 2.190**
Price VAT excl.	€ 1.809,92
Base machine	E-Lectric / Hylectric
Product type	WM 850 E
Connection	Electric
Number of blades	2
Working width	850 mm
Weight	60 kg

Mulching lawnmower WM 850 E
Working width 850 mm
2 blades
Available for the E-Lectric and Hylectric models
Weight 60 kg



XWES 101048



Model	XWES 101048
Price VAT incl.	**€ 2.360**
Price VAT excl.	€ 1.950,41
Base machine	CM 2 PRO
Product type	LIME/FEED
Connection	machine
Content	N/a
Weight	100 kg

Lime and feed spreader
Perfect for spreading lime evenly and ideal for dispensing concentrated feed
Adjustable opening for dispensing quantity of material
Pivoting manually
Weight 100 Kg







XWES 101090



Model	XWES 101090
Price VAT incl.	**€ 2.690**
Price VAT excl.	€ 2.223,14
Base machine	E-Lectric / Hylectric
Product type	WKB 660 E
Connection	Electric
Type brush	Steel
Working width	660 mm
Weight	40 kg

Weed brush
Working width 660 mm, steel wire brush
12 rotating wire brushes
3 rotating discs with 4 steel brushes each
Available on the models E-Lectric and Hylectric
Weight 40 Kg

XWES 101032



Model	XWES 101032
Price VAT incl.	**€ 2.700**
Price VAT excl.	€ 2.231,41
Base machine	CM 2 PRO
Product type	AX 1200
Connection	machine
Type brush	Poly (PPN)
Working width	1200 mm
Weight	60 kg

Axial brush AX 1200
Working width 1200 mm, poly (PPN) brush
Side brush in opion (WES 101053), WES 101038 required
Only available on the CM 2 PRO B model
Weight 60 Kg





XWES 100987











Model	XWES 100987
Price VAT incl.	**€ 4.260**
Price VAT excl.	€ 3.520,66
Base machine	CM 2
Product type	EG 580 - T
Connection	machine
Content	500 liter
Weight	100 kg

Spreader EG 580 with quick coupling system
Capacity 580 liters
Available for the CM 2 HYDRO models
Trailed version
Weight 100 Kg

XWES 101092



Model	XWES 101092
Price VAT incl.	**€ 5.060**
Price VAT excl.	€ 4.181,82
Base machine	E-Lectric / Hylectric
Product type	SW 900 E
Connection	Electric
Working width	900 mm
Weight	40 kg

Washer with water canister, high pressure pump, filter and clearing stars
Working width 900 mm
Available on the models E-Lectric and Hylectric
Weight 40 Kg

XWES 101046



Model	XWES 101046
Price VAT incl.	**€ 5.060**
Price VAT excl.	€ 4.181,82
Base machine	CM 2 PRO
Product type	Washer 900er
Connection	machine
Working width	900 mm
Weight	40 kg

Washer with water canister, high pressure pump,
filter and clearing stars
Working width 900 mm
Available on both models CM 2 PRO
Weight 40 Kg

