

Diesel engine - Commercial use

### XMSS TC85D-MT



Model	XMSS TC85D-MT
Price VAT incl.	€ 17.199
Price VAT excl.	€ 14.214,00
Capacity	850 kg -
Motor	Yanmar Diesel Stage V, elec. start
Power	10 hp
Drive	
Gears	(1) 0 - 2,1 km/h - (2) 0 - 4,2 km/h
Weight	580 kg

Yanmar Diesel engine - power 10 hp - STAGE V

Payload undercarriage 850 kg

Dumper skip 0,38 m³ / 320 liters

Hydrostatic drive, 2 gears,

(1) 0 - 2,1 km/h - (2) 0 - 4,2 km/h

Dim. (L x W x H) 174 x 83 x 115 cm

Working width 83 cm

Weight 580 kg

Engine cover, hourcounter and foot board included.

The color may differ from the images shown!

Tracked transporter with hydraulic transmission, consisting of 3 gear pumps and a fixed flow rate.

It can be turned on site due to the independent rotation of the tracks. Innovative patented cooling system.

Central control levers for easy one-handed operation.

Hydraulic system: 3 gears pumps, 2 x 20,5 l/min @ 175 bar and 1 x 20 l/min @ 150 bar

Hydraulic oil tank capacity: 30 liters

Max gradient capacity: 30%

XMSS TC85D-MT-SL



Model	XMSS TC85D-MT-SL
Price VAT incl.	€ 18.599
Price VAT excl.	€ 15.371,10
Capacity	850 kg -
Motor	Yanmar Diesel Stage V, elec. start
Power	10 hp
Drive	
Gears	(1) 0 - 2,1 km/h - (2) 0 - 4,2 km/h
Weight	640 kg

Yanmar Diesel engine - power 10 hp - STAGE V  
Payload undercarriage 850 kg  
Dumper skip 0,38 m³ / 320 liters  
Frontal self-loader with a loading capacity of 65 liters  
Dim. (L x W x H) 174 x 83 x 115 cm  
Working width 83 cm  
Weight 640 kg

Hydrostatic drive, 2 gears,  
(1) 0 - 2,1 km/h - (2) 0 - 4,2 km/h  
Engine cover, hourcounter and foot board included.  
The color may differ from the images shown!

Tracked transporter with hydraulic transmission, consisting of 3 gear pumps and a fixed flow rate.  
It can be turned on site due to the independent rotation of the tracks.  
Innovative patented cooling system.

Central control levers for easy one-handed operation.  
Hydraulic system: 3 gears pumps, 2 x 20,5 l/min @ 175 bar and 1 x 20 l/min @ 150 bar  
Hydraulic oil tank capacity: 30 liters  
Max gradient capacity: 30%



XMSS TC95D-MT-SL



Model	XMSS TC95D-MT-SL
Price VAT incl.	€ 21.999
Price VAT excl.	€ 18.181,00
Capacity	950 kg -
Motor	Kubota Z482 Diesel, elec. start
Cylinder	479 cm³
Drive	
Gears	Max. 4,2 km/h
Weight	760 kg

Kubota Z482 Diesel engine, power 13hp, STAGE V,  
bi-cilynder, cylinder capacity 479 cm³  
Load capacity 950 kg  
Dumper skip 0,38 m³ / 320 liters  
Hydrostatic drive, max. speed 4.2 km/h  
Dim. (L x W x H) 210 x 83 x 124 cm

Weight 760 kg

2 variable piston pumps and 2 fixed motors  
with planetary final reductions and multi-disc brakes  
Frontal self-loader with a loading capacity of 65 litres  
Working width 83 cm  
The color may differ from the images shown!

It can be turned on site due to the independent rotation of the tracks.  
Innovative patented cooling system.

Central control levers for easy one-handed operation.  
Max gradient capacity: 30%  
Variable pumps that allow progressive acceleration/deceleration in both  
forward and reverse.  
Optional power take-off with a flow rate of 20 l/min and a pressure of 140  
bar, for the use of, for example, a hydraulic breaker