



Outdoor Cleaning

Manure Scrapers

Commercial use - Battery

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES WS 800 VARIO	Working width: 80 cm - drive: electric 24 V - DC - power: 800 Watt - autonomy: ca. 100 min. - wheels: 16 x 6.50-8" - weight: 130 kg	€ 2.726,45	€ 3.299
XWES CMA 800 ELEKT	Working width: 80 cm - drive: electric 24 V - DC - power: 800 Watt - autonomy: ca. 90 min - wheels: 16 x 6.50-8" / 13 x 5.00" - weight: 135 kg	€ 3.304,96	€ 3.999

Options

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES 101071	Feed sheet - adjustable angle - for model WS 800	€ 479,34	€ 580

Radial sweeping machines

Residential use - Battery

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES WR 650 ACCU	Working width: 65 cm - drive: electric 12 V - DC - autonomy: ca. 45 min. - type brush: poly - work surface: 1.500 m²/h - weight: 26 kg	€ 660,33	€ 799

Semi-commercial use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES WR 870 H GCV	Working width: 87 cm - motor: Honda GCVx170 OHC - cylinder: 167 cm³ - type brush: poly - work surface: 2500 m²/h - weight: 75 kg - dim. transport (l x w x h): 120X87X80	€ 1.321,49	€ 1.599

Commercial use - Battery

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES WR 870 ACCU	Working width: 87 cm - drive: electric 12 V - DC - autonomy: ca. 2,5 h - type brush: poly - work surface: 2500 m²/h - weight: 75 kg - dim. transport (l x w x h): 120X87X80	€ 1.238,84	€ 1.499
XWES WR 870 AC.PRO	Working width: 87 cm - drive: electric 12V- DC - autonomy: ca. 2,5 h - type brush: poly - work surface: 2500 m²/h - weight: 76 kg - dim. transport (l x w x h): 122x88x78	€ 1.321,49	€ 1.599

Commercial use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES WR 870 H GXV	Working width: 87 cm - motor: Honda GXV160 OHV - cylinder: 163 cm³ - type brush: poly - work surface: 2.500 m²/h - weight: 85 kg	€ 1.486,78	€ 1.799
XWES WR 870 PRO GX	Working width: 87 cm - motor: Honda GXV160 OHV - cylinder: 163 cm³ - type brush: poly - work surface: 2.500 m²/h - weight: 83 kg	€ 1.569,42	€ 1.899
XWES WR 870 SPEC H	Working width: 87 cm - motor: Honda GXV160 OHV - cylinder: 163 cm³ - type brush: poly - work surface: 2.500 m²/h - weight: 88 kg - dim. transport (l x w x h): 124X88X78	€ 1.734,71	€ 2.099

Options

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES 100060	Swath board - right mounting - WR 870	€ 99,17	€ 120
XWES 100061	Swath board - right mounting - WR 870 PRO	€ 99,17	€ 120
XWES KT-00-00302	Standard poly (PPN) brush - Ø 650 mm - WR 650 ACCU	€ 115,70	€ 140
XWES KT-00-00304	Standard poly (PPN) brush - Ø 870 mm - WR 870	€ 107,44	€ 130

XWES KT-00-00452	Brush, all steel wires - Ø 870 mm - WR 870	€ 223,14	€ 270
XWES KT-00-00475	Brush, half steel / half nylon - Ø 870 mm - WR 870	€ 173,55	€ 210
XWES WR65051	Swath board - right mounting - WR 650 ACCU	€ 82,64	€ 100

Axial sweeping machines

Commercial use - Hydraulic

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES OPTIMAL 1600R	Base machine: OPITMAL 1600 - product type: REAR - connection: machine - type brush: poly (PPN) - working width: 1600 mm - weight: 270 kg	€ 3.057,02	€ 3.699
XWES OPTIMAL 2300R	Base machine: OPITMAL 2300 - product type: REAR - connection: machine - type brush: poly (PPN) - working width: 2300 mm - weight: 305 kg	€ 3.222,31	€ 3.899
XWES OPTIMAL 1600F	Base machine: OPITMAL 1600 - product type: FRONTAL - connection: machine - type brush: Poly (PPN) - working width: 1600 mm - weight: 280 kg	€ 3.304,96	€ 3.999
XWES OPTIMAL 2300F	Base machine: OPITMAL 2300 - product type: FRONTAL - connection: machine - type brush: poly (PPN) - working width: 2300 mm - weight: 315 kg	€ 3.470,25	€ 4.199

Options

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES 100501	Adapter plate - type UNIVERSAL - for OPTIMAL 1600F and 2300F	€ 247,93	€ 300
XWES 100502	Adapter plate - type EURO - for OPTIMAL 1600F and 2300F	€ 305,79	€ 370
XWES 100504	Adapter plate - type WESTERMANN HYDRO - for OPTIMAL 1600F and 2300F	€ 264,46	€ 320
XWES 100505	Adapter plate - type stacker / forklift - for OPTIMAL 1600F and 2300F	€ 801,65	€ 970
XWES 100718	Bigger hydraulic motor - flow min. 80 l/min	€ 173,55	€ 210
XWES 100972	Hydraulic swing movement - for OPTIMAL 1600F and 2300F	€ 396,69	€ 480
XWES 100974	Hydraulic emptying collecting box - for OPTIMAL 1600F and 2300F	€ 438,02	€ 530
XWES 100983	Pendulum balance plate - without adapter plate - for OPTIMAL 1600F and 2300F	€ 355,37	€ 430
XWES 100984	Side brush for right-hand mounting - for OPTIMAL 1600F and 2300F - brush diameter 700 mm	€ 1.165,29	€ 1.410
XWES 101076	Hydraulic block - from 2 functions to 1 double acting - for OPTIMAL 1600F and 2300F	€ 669,42	€ 810

Multifunctional machines

Commercial use - Battery

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES E-ELECTRIC	Drive: electric 48 V (4x 12 V) - 80 Ah - power: 1.100 Watt (1.1 kW) - autonomy: ca. 120 min. - pdf attachment: no - working width: 800 mm - weight: 250 kg	€ 4.544,63	€ 5.499
XWES E-ELECTRIC+	Drive: electric 48 V (4x 12 V) - 80 Ah - power: 1.100 Watt (1.1 kW) - autonomy: ca. 120 min. - pdf attachment: yes, electric - working width: 800 mm - weight: 270 kg	€ 6.610,74	€ 7.999

Commercial use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES CM 2 BASIC H5	Motor: Honda GXV160 OHV - cylinder: 163 cm³ - pdf attachment: no - working width: 800 mm - weight: 200 kg	€ 3.304,96	€ 3.999
XWES CM 2 BAS.H13E	Motor: Honda GXV390 OHV - cylinder: 389 cm³ - pdf attachment: no - working width: 800 mm - weight: 225 kg	€ 4.048,76	€ 4.899
XWES CM 2 PRO H	Motor: Honda GXV390 OHV - cylinder: 389 cm³ - pdf attachment: no - working width: 800 mm - weight: 250 kg	€ 4.957,85	€ 5.999
XWES CM 2 PRO+ H	Motor: Honda GXV390 OHV - cylinder: 389 cm³ - pdf attachment: hydraulic - 18 l/min - working width: 825 mm - weight: 300 kg	€ 7.106,61	€ 8.599

Commercial use - Related products

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES 101084	Base machine: CM PRO - product type: ASS 900 - connection: mechanical - working width: 900 mm - weight: 28 kg	€ 429,75	€ 520
	Base machine: CM 2 E / BASIC / HYDRO - product type: ASS 900 - connection:		

XWES 100914	mechanical - working width: 900 mm - weight: 28 kg	€ 446,28	€ 540
XWES 101044	Base machine: CM 2 PRO / E-Lectric / Hylectric - product type: ASS 900 - connection: mechanical - working width: 900 mm - weight: 28 kg - dim. transport (lxbxh): 120X88X80	€ 512,40	€ 620
XWES 100901	Base machine: CM 2 HYDRO - product type: R 900 - connection: machine - working width: poly (PPN) - working width: 900 mm - weight: 25 kg	€ 603,31	€ 730
XWES 100971	Base machine: CM 2 - product type: PS 80 - 160 - connection: mechanical - working width: 800 - 1600 mm - weight: 28 kg	€ 743,80	€ 900
XWES 101047	Base machine: CM 2 PRO - product type: PS 80 - 160 - connection: mechanical - working width: 800 - 1600 mm - weight: 28 kg	€ 793,39	€ 960
XWES 101039	Base machine: CM 2 PRO - product type: R 1000 - connection: machine - type brush: poly (PPN) - working width: 1000 mm - weight: 30 kg	€ 991,74	€ 1.200
XWES 101054	Base machine: CM 2 - product type: 1600er - H - connection: machine - working width: 1600 mm - weight: 20 kg	€ 1.049,59	€ 1.270
XWES 101089	Base machine: E-Lectric / Hylectric - product type: R 1000-E - connection: electric - type brush: poly (PPN) - working width: 1000 mm - weight: 25 kg	€ 1.066,12	€ 1.290
XWES 101079	Base machine: CM 2 PRO - connection: machine - content: 115 - working width: 800 mm - weight: 25 kg	€ 1.099,17	€ 1.330
XWES 101040	Base machine: CM 2 PRO - product type: R 1000 - connection: machine - type brush: steel - working width: 1000 mm - weight: 30 kg	€ 1.123,97	€ 1.360
XWES 101043	Base machine: CM 2 PRO - product type: WKB 550 - connection: machine - type brush: steel - working width: 550 mm - weight: 25 kg	€ 1.123,97	€ 1.360
XWES 101033	Base machine: CM 2 PRO - product type: FA 800 - connection: machine - working width: 800 mm - weight: 40 kg	€ 1.661,16	€ 2.010
XWES 101091	Base machine: E-Lectric / Hylectric - product type: FA 800 - connection: electric - working width: 800 mm - weight: 40 kg	€ 1.776,86	€ 2.150
XWES 101093	Base machine: E-Lectric / Hylectric - product type: WM 850 E - connection: electric - number of blades: 2 - working width: 850 mm - weight: 60 kg	€ 1.809,92	€ 2.190
XWES 101048	Base machine: CM 2 PRO - product type: LIME/FEED - connection: machine - content: n/a - weight: 100 kg	€ 1.950,41	€ 2.360
XWES 101090	Base machine: E-Lectric / Hylectric - product type: WKB 660 E - connection: electric - type brush: steel - working width: 660 mm - weight: 40 kg	€ 2.223,14	€ 2.690
XWES 101032	Base machine: CM 2 PRO - product type: AX 1200 - connection: machine - type brush: poly (PPN) - working width: 1200 mm - weight: 60 kg	€ 2.231,41	€ 2.700
XWES 100987	Base machine: CM 2 - product type: EG 580 - T - connection: machine - content: 500 liter - weight: 100 kg	€ 3.520,66	€ 4.260
XWES 101050	Base machine: CM 2 PRO - product type: EG 540 + ASS 900 - connection: machine - content: 540 liter - weight: 140 kg	€ 4.132,23	€ 5.000
XWES 101092	Base machine: E-Lectric / Hylectric - product type: SW 900 E - connection: electric - working width: 900 mm - weight: 40 kg	€ 4.181,82	€ 5.060
XWES 101046	Base machine: CM 2 PRO - product type: Washer 900er - connection: machine - working width: 900 mm - weight: 40 kg	€ 4.181,82	€ 5.060

Options

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES 100710	Swath board - right mounting - R 1000	€ 90,91	€ 110
XWES 100711	Swath board - left mounting - R 1000	€ 107,44	€ 130
XWES 100958/100716	Connection for high pressure lance - included high-pressure lance with nozzle - CM 2 HYDRO	€ 462,81	€ 560
XWES 101007	Side brush for left-hand mounting on ASS 900 manure scrapers - for the models E-Lectric and Hylectric	€ 851,24	€ 1.030
XWES 101036	Lighting kit - work lights - front and rear light	€ 181,82	€ 220
XWES 101037	Rotating beacon with bracket - all-round lighting	€ 297,52	€ 360
XWES 101038	Additional oil cooler - for CM 2 PRO	€ 826,45	€ 1.000
XWES 101045	Side brush for left-hand mounting on ASS 900 manure scraper - for the model CM 2 PRO	€ 958,68	€ 1.160
XWES 101052	Side brush for left mounting on EG 540	€ 958,68	€ 1.160
XWES 101053	Side brush for right mounting on AX 1200	€ 603,31	€ 730
XWES 101058	Plexiglass windshield and roof for extra protection	€ 776,86	€ 940
XWES 101061	Set with counterweights - rear mounting - total approx. 57 kg	€ 528,93	€ 640
XWES 101066	Set with counterweights - bottom mounting - total approx. 53 kg	€ 264,46	€ 320
XWES 101068	Set with counterweights - side mounting - total about 62 kg	€ 429,75	€ 520
XWES 101072	Side brush for left mounting on FA 800	€ 520,66	€ 630

XWES 101094	Power plate charging station - for the models E-Lectric and Hylectric	€ 644,63	€ 780
-------------	---	----------	-------

Tool carriers attachments

Commercial use - Hydraulic

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES R 1200	Base machine: TOOL CARRIER - product type: R 1200 - connection: - type brush: poly (PPN) - working width: 1200 mm - weight: 35 kg	€ 1.569,42	€ 1.899
XWES R 1400	Base machine: TOOL CARRIER - product type: R 1400 - connection: - type brush: poly (PPN) - working width: 1400 mm - weight: 40 kg	€ 1.734,71	€ 2.099
XWES FA 1200	Base machine: TOOL CARRIER - product type: FA 1200 - connection: - working width: 1200 mm - weight: 50 kg	€ 3.222,31	€ 3.899

Options

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES 100501	Adapter plate - type UNIVERSAL - for OPTIMAL 1600F and 2300F	€ 247,93	€ 300
XWES 100502	Adapter plate - type EURO - for OPTIMAL 1600F and 2300F	€ 305,79	€ 370
XWES 100504	Adapter plate - type WESTERMANN HYDRO - for OPTIMAL 1600F and 2300F	€ 264,46	€ 320
XWES 100505	Adapter plate - type stacker / forklift - for OPTIMAL 1600F and 2300F	€ 801,65	€ 970
XWES 100713	Swath board - right mounting - for the models R 1200 / R 1400	€ 107,44	€ 130
XWES 100714	Swath board - left mounting - for the models R 1200 / R 1400	€ 107,44	€ 130
XWES 100717	Full rubber tires - set of 3 wheels - for the FA 1200 model	€ 206,61	€ 250
XWES 100718	Bigger hydraulic motor - flow min. 80 l/min	€ 173,55	€ 210

Weed control

Weed brushes

Residential use - Battery

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES WKB 330 ACCU	Working width: 33 cm - drive: BATTERY - power: 2x VDC - type brush: steel - work surface: 700 m²/h - weight: 45 kg	€ 1.486,78	€ 1.799

Residential use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES WKB 330 L	Working width: 33 cm - motor: Loncin OHV - cylinder: 167 cm³ - type brush: steel - work surface: 700 m²/h - weight: 45 kg - dim. transport (lxwxh): 60X90X80	€ 908,26	€ 1.099

Commercial use - Petrol engine

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES WKB 660 H GCV	Working width: 66 cm - motor: Honda GCVx 170 OCV - cylinder: 167 cm³ - type brush: steel - work surface: 1800 m²/h - weight: 94 kg	€ 1.900,00	€ 2.299
XWES WKB 660 H PRO	Working width: 66 cm - motor: Honda GXV 160 OHV - cylinder: 163 cm³ - type brush: steel - work surface: 1800 m²/h - weight: 95 kg - dim. transport (lxwxh): 120X87X80	€ 2.065,29	€ 2.499

Options

Model	Specifications	Price VAT excl.	Price VAT incl.
XWES KT-00-0070912	Set of 3x 4 bundles of steel braided wire - WKB 660 H PRO	€ 66,12	€ 80